

REPORTS IN INFORMATICS

ISSN 0333-3590

Optimal broadcast domination of
arbitrary graphs in polynomial time

Pinar Heggernes

Daniel Lokshtanov

REPORT NO 290

February 2005



Department of Informatics

UNIVERSITY OF BERGEN

Bergen, Norway

This report has URL <http://www.ii.uib.no/publikasjoner/texrap/ps/2005-290.ps>

Reports in Informatics from Department of Informatics, University of Bergen, Norway, is available at <http://www.ii.uib.no/publikasjoner/texrap/>.

Requests for paper copies of this report can be sent to:
Department of Informatics, University of Bergen, Høytologisenteret,
P.O. Box 7800, N-5020 Bergen, Norway

Optimal broadcast domination of arbitrary graphs in polynomial time

Pinar Heggernes* Daniel Lokshтанov*

Abstract

Broadcast domination was introduced by Erwin in 2002, and it is a variant of the standard dominating set problem, such that vertices can be assigned various domination powers. Broadcast domination assigns a power $f(v) \geq 0$ to each vertex v of a given graph, such that every vertex of the graph is within distance $f(v)$ from some vertex v having $f(v) \geq 1$. The optimal broadcast domination problem seeks to minimize the sum of the powers assigned to the vertices of the graph. Since the presentation of this problem its computational complexity has been open, and the general belief has been that it might be NP-hard. In this paper, we show that optimal broadcast domination is actually in \mathcal{P} , and we give a polynomial time algorithm for solving the problem on arbitrary graphs.

1 Introduction

A *dominating set* in a graph is a subset of the vertices of the graph such that every vertex of the graph either belongs to the dominating set or has a neighbor in the dominating set. A vertex outside of the dominating set is said to be *dominated* by one of its neighbors in the dominating set. The standard optimal domination problem seeks to find a dominating set of minimum cardinality. Since the introduction of this problem [2, 12], many domination related graph parameters have been introduced and studied, and domination in graphs is one of the most well known and widely studied subjects within graph algorithms [7, 8].

The standard dominating set problem can be seen as to represent a set of cities having broadcast stations, where every city can hear a broadcast station placed in it or in a neighboring city [11]. In 2002 Erwin [5] introduced the *broadcast domination* problem, which is more realistic in the sense that the various broadcast stations are allowed to transmit at different powers. FM radio stations are distinguished both by their transmission frequency and by their ERP (Effective Radiated Power). A transmitter with a higher ERP can transmit further, but it is more expensive to build and to operate. Consequently, the optimal broadcast domination problem asks to compute an integer valued power function f on the vertices, such that every vertex of the graph is at distance at most $f(v)$ from some vertex v having $f(v) \geq 1$, and the sum of the powers are minimized.

Since the introduction of this problem, its computational complexity has been open [4, 10]. The standard optimal domination problem is NP-hard [6], and so are some variants that might resemble broadcast domination: optimal r -domination asks for a dominating set of minimum cardinality where every vertex of the graph is within distance r from some vertex of the dominating set for a given r [9, 13], and the (k, r) -center problem asks to find an r -dominating set containing at most k vertices, where one parameter is given and the other is to be minimized [1, 6]. Since

*Department of Informatics, University of Bergen, N-5020 Bergen, Norway. Emails: pinar.heggernes@ii.uib.no, daniel.lokshtanov@student.uib.no.

most of the interesting domination problems are NP-hard on general graphs, this gave some indication that optimal broadcast domination might also be NP-hard for general graphs. Following this, in 2003 Blair et al. gave polynomial time algorithms for optimal broadcast domination of trees, interval graphs, and series-parallel graphs [3].

In this paper, we show that, quite surprisingly, optimal broadcast domination is in \mathcal{P} . We first prove that every graph has an optimal broadcast domination in which the subsets of vertices dominated by the same vertex are ordered in a path or a cycle. Using this, we give a polynomial time algorithm for computing optimal broadcast dominations of arbitrary graphs.

This paper is organized as follows. In the next section, we give the necessary background. In Section 3, we prove the necessary results on the structure of optimal broadcast dominations. In Section 4, we use this result to develop a polynomial time algorithm for all graphs. We conclude with a few remarks in Section 5.

2 Definitions and terminology

In this paper we work with unweighted, undirected, connected, and simple graphs as input graphs to our problem. Let $G = (V, E)$ be a graph with $n = |V|$ and $m = |E|$. For any vertex $v \in V$, the *neighborhood* of v is the set $N_G(v) = \{u \mid uv \in E\}$. Similarly, for any set $S \subseteq V$, $N_G(S) = \cup_{v \in S} N(v) - S$. We let $G(S)$ denote the subgraph of G induced by S .

The *distance* between two vertices u and v in G , denoted by $d_G(u, v)$, is the minimum number of edges on a path between u and v . The *eccentricity* of a vertex v , denoted by $e(v)$, is the largest distance from v to any vertex of G . The *radius* of G , denoted by $rad(G)$, is smallest eccentricity in G . The *diameter* of G , denoted by $diam(G)$, is the largest distance between any pair of vertices in G .

A function $f : V \rightarrow \{0, 1, \dots, diam(G)\}$ is a *broadcast* on G . The set of *broadcast dominators* defined by f is the set $V_f = \{v \in V \mid f(v) \geq 1\}$. A broadcast is *dominating* if for every vertex $u \in V$ there is a vertex $v \in V_f$ such that $d(u, v) \leq f(v)$. In this case f is also called a *broadcast domination*. The *cost* of a broadcast f incurred by a set $S \subseteq V$ is $c_f(S) = \sum_{v \in S} f(v)$. Thus, $c_f(V)$ is the total cost incurred by broadcast function f on G .

For a vertex $v \in V$ and an integer $p \geq 1$, we define the *ball* $B_G(v, p)$ to be the set of vertices that are at distance $\leq p$ from v in G . Thus $B_G(v, f(v))$ is the set of all vertices that are dominated by v (including v itself) if $f(v) \geq 1$. We will omit the subscript G in the notation for balls, since a ball will always refer to the input graph G . A broadcast domination f on G is *efficient* if $B(u, f(u)) \cap B(v, f(v)) = \emptyset$ for all pairs of distinct vertices $u, v \in V$.

For an efficient broadcast domination f on G , we define the *domination graph* $G_f = (V_f, \{uv \mid N_G(B(u, f(u))) \cap B(v, f(v)) \neq \emptyset\})$. Hence the domination graph can be seen as a modification of G in which every ball $B(v, f(v))$ is contracted to the single vertex v , and neighborhoods are preserved. Since G is connected and f is dominating, G_f is always connected. An example is given in Figure 1.

The *optimal broadcast domination problem* on a given graph G asks to compute a broadcast domination on G with the minimum cost. Note that if f is an optimal broadcast domination on $G = (V, E)$, then $c_f(V) \leq rad(G)$ since one can always choose a vertex v of smallest eccentricity and dominate all other vertices with $f(v) = e(v) = rad(G)$. If $c_f(V) = rad(G) = f(v)$ for a single vertex v in G , then f is called a *radial* broadcast domination.




Figure 1: On the left hand side, a graph G with an efficient broadcast domination f is shown. For vertices v with $f(v) \geq 1$, the broadcast powers $f(v)$ are shown in parentheses, and the dashed curves indicate the balls $B(v, f(v))$. For all other vertices w , $f(w) = 0$. On the right hand side, the corresponding domination graph G_f is given, and the weight of each vertex is shown in parentheses.

3 The structure of an optimal broadcast domination

In [4], Dunbar et al. show that every graph has an optimal broadcast domination that is efficient. In particular, the following lemma is implicit from the proof of this result.

Lemma 3.1 (Dunbar et al. [4]) *For any non efficient broadcast domination f on a graph $G = (V, E)$, there is an efficient broadcast domination f' on G such that $|V_{f'}| < |V_f|$ and $c_{f'}(V) = c_f(V)$.*

We now add the following results.

Lemma 3.2 *Let f be an efficient broadcast domination on $G = (V, E)$. If the domination graph G_f has a vertex of degree > 2 , then there is an efficient broadcast domination f' on G such that $|V_{f'}| < |V_f|$ and $c_{f'}(V) = c_f(V)$.*

Proof. Let v be a vertex with degree > 2 in G_f , and let x, y , and z be three of the neighbors of v in G_f . By the way the domination graph G_f is defined, v, x, y , and z are also vertices in G , and they all have broadcast powers ≥ 1 in f . Since f is efficient, $d_G(v, x) = f(v) + f(x) + 1$. Similarly, $d_G(v, y) = f(v) + f(y) + 1$ and $d_G(v, z) = f(v) + f(z) + 1$. Assume without loss of generality that $f(x) \leq f(y) \leq f(z)$.

If $f(x) + f(y) > f(z)$ then we construct a new broadcast f' on G with $f'(u) = f(u)$ for all vertices $u \in V \setminus \{v, x, y, z\}$. Furthermore, we let $f'(v) = f(v) + f(x) + f(y) + f(z)$, and $f'(x) = f'(y) = f'(z) = 0$. The new broadcast f' is dominating since every vertex that was previously dominated by one of v, x, y , or z is now dominated by v . To see this, let u be any vertex that was dominated by x, y , or z in f . Thus $d_G(v, u) \leq f(v) + 2f(z) + 1$ by our assumptions. Since $f'(v) > f(v) + 2f(z)$, vertex u is now dominated by v in f' . The cost of f' is the same as that of f , and the number of broadcast dominators in f' is smaller.

Let now $f(x) + f(y) \leq f(z)$. As we mentioned above, there is a path P in G between v and z of length $f(v) + f(z) + 1$. Let w be a vertex on P such that the number of edges between w and z on P is $f(v) + f(x) + f(y)$. Since f is efficient, $f(w) = 0$. We construct a new broadcast f' on G such that $f'(u) = f(u)$ for all vertices $u \in V \setminus \{v, w, x, y, z\}$. Furthermore, we let $f'(w) = f(v) + f(x) + f(y) + f(z)$, and $f'(v) = f'(x) = f'(y) = f'(z) = 0$. By the way $d_G(z, w)$ is defined, any vertex

that was dominated by z or v in f is now dominated by w , since $d_G(v, w) < f(z)$. Let u be a vertex that was dominated by y in f . The distance between u and w in G is $\leq 2f(y) + 2f(v) + f(z) + 2 - f(v) - f(x) - f(y) = f(y) + f(v) + f(z) + 2 - f(x) \leq f(y) + f(v) + f(z) + f(x) = f'(w)$. Thus u is now dominated by w . The same is true for any vertex that was dominated by x in f since we assumed that $f(x) \leq f(y)$. Thus f' is a broadcast domination. Clearly, the costs of f' and f are the same, and f' has fewer broadcast dominators.

Thus we have shown how to compute a new broadcast domination f' as desired. If f' is not efficient, then by Lemma 3.1 there exists an efficient broadcast domination with the same cost and fewer broadcast dominators, so the lemma follows. ■

We are now ready to state the main result of this section, on which our algorithm will be based.

Theorem 3.3 *For any graph G , there is an efficient optimal broadcast domination f on G such that the domination graph G_f is either a path or a cycle.*

Proof. Let f be any efficient optimal broadcast domination on $G = (V, E)$. If G_f has a vertex of degree > 2 then by Lemma 3.2, an efficient broadcast domination f' on G with $|V_{f'}| < |V_f|$ and $c_{f'}(V) = c_f(V)$ exists. The proofs of both Lemmas 3.1 and 3.2 are constructive, so we know how to obtain f' . As long as there are vertices of degree > 2 in the domination graph, this process can be repeated. Since we always obtain a new domination graph with a strictly smaller number of vertices, the process has to stop after $< n$ steps. Since domination graphs are connected, the theorem follows. ■

Note that a path can be a single edge or a single vertex. If G_f is a single vertex then f is a radial broadcast.

Corollary 3.4 *For any graph $G = (V, E)$, there is an efficient optimal broadcast domination f on G such that removing the vertices of $B(v, f(v))$ from G results in at most two connected components, for every $v \in V_f$.*

Proof. Since there is always an efficient optimal broadcast domination f on G such that the balls $B(v, f(v))$ with $v \in V_f$ are ordered in a path or a cycle by Theorem 3.3, it suffices to observe that $B(v, f(v))$ induces a connected subgraph in G for each $v \in V_f$. ■

Corollary 3.5 *For any graph $G = (V, E)$, there is an efficient optimal broadcast domination f on G such that a vertex $x \in V_f$ satisfies the following: $G' = G(V \setminus B(x, f(x)))$ is connected (or empty), and G' has an efficient optimal broadcast domination f' such that $G'_{f'}$ is a path (or empty).*

Proof. By Theorem 3.3, let f be an efficient optimal broadcast domination of G such that G_f is a path or a cycle. Let x be any vertex of G_f if G_f is a cycle, any of the two endpoints of G_f if G_f is a path with at least two vertices, or G_f itself if G_f is a single vertex. Let $f'(v) = f(v)$ for all $v \in V \setminus \{x\}$. Since f is efficient on G , f' is an efficient dominating broadcast on G' , and $G'_{f'}$ is the result of removing x from G_f . Thus $G'_{f'}$ is a path or empty. ■

4 Computing an optimal broadcast domination

By Theorem 3.3 we know that an efficient optimal broadcast f on G must exist such that G_f is a path or a cycle. We will first give an algorithm for handling the case when G_f is a path.

4.1 Optimal broadcast domination when the domination graph is a path

In this subsection, we want to find an efficient broadcast domination of minimum cost over all broadcast dominations f on $G = (V, E)$ such that G_f is a path. Our approach will be as follows: for each vertex u of G , we will compute a new graph \mathcal{G}_u , and use this to find the best possible broadcast domination f such that G_f is a path and u belongs to a ball corresponding to one of the endpoints of G_f . We will repeat this process for every u in G , and choose at the end the best f ever computed.

Given a vertex $u \in V$, we define a directed graph \mathcal{G}_u with weights assigned to its vertices as follows: For each $v \in V$ and each $p \in [1, \dots, \text{rad}(G)]$, there is a vertex (v, p) in \mathcal{G}_u if and only if one of the following is true:

- $G(V \setminus B(v, p))$ is connected or empty and $u \in B(v, p)$
- $G(V \setminus B(v, p))$ has at most two connected components and $u \notin B(v, p)$.

Thus \mathcal{G}_u has a total of at most $n \text{rad}(G)$ vertices. Following Corollaries 3.4 and 3.5, each vertex (v, p) represents the situation that $f(v) = p$ in the broadcast domination f that we are aiming to compute. We define the *weight* of each vertex (v, p) to be p .

The role of u is to define the “left” endpoint of the path that we will compute. All edges will go from “left” to “right”. We partition the vertex set of \mathcal{G}_u into four subsets:

- $A_u = \{(v, p) \mid G(V \setminus B(v, p)) \text{ is connected and } u \in B(v, p)\}$
- $B_u = \{(v, p) \mid G(V \setminus B(v, p)) \text{ has two connected components}\}$
- $C_u = \{(v, p) \mid G(V \setminus B(v, p)) \text{ is connected and } u \notin B(v, p)\}$
- $D_u = \{(v, p) \mid B(v, p) = V\}$

For each vertex (v, p) , let $L_u(v, p)$ be the connected component of $G(V \setminus B(v, p))$ that contains u (i.e., the component to the “left” of $B(v, p)$), and let $R_u(v, p)$ be the connected component of $G(V \setminus B(v, p))$ that does not contain u (i.e., the component to the “right” of $B(v, p)$). Thus $L_u(v, p) = \emptyset$ for every $(v, p) \in A_u \cup D_u$, and $R_u(v, p) = \emptyset$ for every $(v, p) \in C_u \cup D_u$.

The edges of \mathcal{G}_u are directed and defined as follows: A directed edge $(v, p) \rightarrow (w, q)$ is an edge of \mathcal{G}_u if and only if all of the following three conditions are satisfied:

- $B(v, p) \cap B(w, q) = \emptyset$ in G
- $R_u(v, p) \neq \emptyset$ and $L_u(w, q) \neq \emptyset$
- $(N_G(B(w, q)) \cap L_u(w, q)) \subset B(v, p)$ and $(N_G(B(v, p)) \cap R_u(v, p)) \subset B(w, q)$ in G .

To restate the last requirement in plain text: $B(v, p)$ must contain all neighbors of $B(w, q)$ in $L_u(w, q)$, and $B(w, q)$ must contain all neighbors of $B(v, p)$ in $R_u(v, p)$.

Observation 4.1 *Given the first two requirements that an edge of \mathcal{G}_u must satisfy, the two conditions of the last requirement are equivalent.*

Proof. Note first that $(N_G(B(w, q)) \cap L_u(w, q)) \neq B(v, p)$ and $(N_G(B(v, p)) \cap R_u(v, p)) \neq B(w, q)$ since $B(v, p) \cap B(w, q) = \emptyset$ and thus v has no neighbor in $B(w, q)$ and w has no neighbor in $B(v, p)$ in G . Let now $(N_G(B(w, q)) \cap L_u(w, q)) \subset B(v, p)$. Observe that $B(v, p) \subseteq L_u(w, q)$, since $B(v, p) \cap B(w, q) = \emptyset$ and each ball induces a connected subgraph of G . Furthermore, since $B(w, q) \cup R_u(w, q)$ is connected and does not intersect with $B(v, p)$, and since there is no path from $B(w, q)$ to u that avoids $B(v, p)$, we can also conclude that $B(w, q) \subseteq R_u(v, p)$. Assume now, for a contradiction, that $(N_G(B(v, p)) \cap R_u(v, p)) \not\subset B(w, q)$. Thus $B(v, p)$ has a neighbor z in $R_u(v, p)$ and $z \notin B(w, q)$. Since $R_u(v, p)$ is connected there is a path between z and a vertex of $B(w, q)$ in $R_u(v, p)$, and in particular, this path contains a vertex y of $R_u(w, q)$. But this means that there is a path between u and y in $G(V \setminus B(w, q))$,

which contradicts that $y \in R_u(w, q)$. The proof in the other direction is analogous.

■

By the way we have defined the edges of \mathcal{G}_u , all vertices belonging to A_u have indegree 0 and all vertices belonging to C_u have outdegree 0. Hence, any path in \mathcal{G}_u can contain at most one vertex from A_u (which must be the starting point of the path) and at most one vertex from C_u (which must be the ending point of the path). The vertices of D_u are isolated, and every vertex of D_u defines a radial broadcast domination on its own.

Lemma 4.2 *Given $G = (V, E)$ and a vertex u in G , let $(v_1, p_1) \rightarrow (v_2, p_2) \rightarrow \dots \rightarrow (v_k, p_k)$ be a directed path in \mathcal{G}_u with $(v_1, p_1) \in A_u \cup D_u$ and $(v_k, p_k) \in C_u \cup D_u$. Then for $1 \leq i \leq k$, the following is true: $\bigcup_{j=1}^{i-1} B(v_j, p_j) = L_u(v_i, p_i)$ and $\bigcup_{j=i+1}^k B(v_j, p_j) = R_u(v_i, p_i)$.*

Proof. Observe that $k = 1$ if and only if the path contains a vertex of D_u , in which case the lemma follows trivially. Let us for the rest of the proof assume that $k \geq 2$.

We first show that $\bigcup_{j=1}^{i-1} B(v_j, p_j) = L_u(v_i, p_i)$ by induction on i , starting from $i = 1$ and continuing to $i = k$.

Let us consider the base cases $i = 1$ and $i = 2$. When $i = 1$, we must show that $L_u(v_1, p_1) = \emptyset$, which follows trivially since $(v_1, p_1) \in A_u \cup D_u$. When $i = 2$, we need to show that $B(v_1, p_1) = L_u(v_2, p_2)$. Since $(v_1, p_1) \rightarrow (v_2, p_2)$ is an edge of \mathcal{G}_u and $L_u(v_1, p_1) = \emptyset$, we know that $N_G(B(v_1, p_1)) \subset B(v_2, p_2)$. By the definition of an edge of \mathcal{G}_u , we also know that $N_G(B(v_2, p_2)) \cap L_u(v_2, p_2) \subset B(v_1, p_1)$. Thus there cannot exist a path between a vertex of $B(v_2, p_2)$ and a vertex of $B(v_1, p_1)$ that avoids $B(v_1, p_1)$ and the result follows since $L_u(v_2, p_2)$ is connected.

For the induction step, assume that $\bigcup_{j=1}^{i-1} B(v_j, p_j) = L_u(v_i, p_i)$, and we will show that $\bigcup_{j=1}^i B(v_j, p_j) = L_u(v_{i+1}, p_{i+1})$. Because of the edge $(v_i, p_i) \rightarrow (v_{i+1}, p_{i+1})$, by the proof of Observation 4.1, we know that $B(v_i, p_i) \subseteq L_u(v_{i+1}, p_{i+1})$ and $B(v_{i+1}, p_{i+1}) \subseteq R_u(v_i, p_i)$. Thus, by the induction assumption, $B(v_{i+1}, p_{i+1})$ does not intersect with $\bigcup_{j=1}^i B(v_j, p_j)$. Again by the induction assumption, $\bigcup_{j=1}^i B(v_j, p_j)$ is connected and contains u . Thus we can conclude that $\bigcup_{j=1}^i B(v_j, p_j) \subseteq L_u(v_{i+1}, p_{i+1})$. Now, if $L_u(v_{i+1}, p_{i+1})$ contains a vertex x that does not belong to $\bigcup_{j=1}^i B(v_j, p_j)$ then due to the induction assumption, there must be a path (possibly a single edge) between x and a vertex of $B(v_i, p_i)$ whose vertices are all outside of $\bigcup_{j=1}^{i-1} B(v_j, p_j)$. Consequently, $B(v_i, p_i)$ must have a neighbor y in $R_u(v_i, p_i)$ such that that $x \notin B(v_{i+1}, p_{i+1})$, which contradicts the existence of the edge $(v_i, p_i) \rightarrow (v_{i+1}, p_{i+1})$. Thus $\bigcup_{j=1}^i B(v_j, p_j) = L_u(v_{i+1}, p_{i+1})$, and the proof of this part is complete.

Showing that $\bigcup_{j=i+1}^k B(v_j, p_j) = R_u(v_i, p_i)$ for $1 \leq i \leq k$ is completely analogous, and we skip this part. ■

Lemma 4.3 *Given $G = (V, E)$, there is a vertex $u \in V$ such that $(v_1, p_1) \rightarrow (v_2, p_2) \rightarrow \dots \rightarrow (v_k, p_k)$ is a directed path in \mathcal{G}_u with $(v_1, p_1) \in A_u \cup D_u$ and $(v_k, p_k) \in C_u \cup D_u$ if and only if G has an efficient broadcast domination f such that G_f is the undirected path $v_1 - v_2 - \dots - v_k$ and $f(v_i) = p_i$ for $1 \leq i \leq k$.*

Proof. Let f be an efficient broadcast on $G = (V, E)$ with broadcast dominators $V_f \subset V$ such that G_f is a path. Let $V_f = \{v_1, v_2, \dots, v_k\}$ so that $v_1 - v_2 - \dots - v_k$ is the path equivalent to G_f , and let u be any vertex of $B(v_1, f(v_1))$. If $k = 1$ then $V = B(v_1, p_1)$, and the lemma trivially follows since \mathcal{G}_u contains a vertex $(v_1, p_1) \in D_u$. Let $k \geq 2$. By the proofs of Corollaries 3.4 and 3.5, removing $B(v_1, f(v_1))$ or $B(v_k, f(v_k))$ from G results in a connected graph, and removing $B(v_i, f(v_i))$ from G results in exactly two connected components for $2 \leq i \leq k - 1$.

Consequently, for each $v_i \in V_f$, $(v_i, f(v_i))$ is a vertex of \mathcal{G}_u . In \mathcal{G}_u , $(v_1, f(v_1))$ belongs to A_u , $(v_k, f(v_k))$ belongs to C_u , vertices $(v_i, f(v_i))$ belong to B_u for $2 \leq i \leq k-1$, and $(v_1, f(v_1)) \rightarrow (v_2, f(v_2)) \rightarrow \dots \rightarrow (v_k, f(v_k))$ is a path by the definition of the edges in \mathcal{G}_u .

In the other direction, let u be a vertex of G , and let $P = (v_1, p_1) \rightarrow (v_2, p_2) \rightarrow \dots \rightarrow (v_k, p_k)$ be a directed path in \mathcal{G}_u such that $(v_1, p_1) \in A_u \cup D_u$ and $(v_k, p_k) \in C_u \cup D_u$. Define a function f so that $f(v_i) = p_i$ for $1 \leq i \leq k$, and $f(v) = 0$ for all other vertices of G . By Lemma 4.2, $\bigcup_{i=1}^k B(v_i, p_i) = V$, and $B(v_i, p_i) \cap B(v_j, p_j) = \emptyset$, for $1 \leq i < j \leq k$. Thus f is an efficient broadcast domination on G . ■

Now the idea is to find a directed path P_u in \mathcal{G}_u from a vertex of $A_u \cup D_u$ to a vertex of $C_u \cup D_u$ such that the sum of the weights of the vertices of P_u is minimized¹. Let us call this sum $W(P_u)$. Then we will compute \mathcal{G}_u for each vertex u in G , and repeat this process, and at the end choose a path with the minimum total weight. Our algorithm for the path case is given in Figure 2.

Algorithm Minimum Path Broadcast Domination - MPBD

Input: A graph $G = (V, E)$.

Output: An efficient broadcast domination function f of minimum cost on G , such that G_f is a path.

begin

for each vertex v in G **do**

$f(v) = 0$;

 Let P be a dummy path with $W(P) = rad(G)$;

for each vertex u in G **do**

 Compute \mathcal{G}_u with vertex sets A_u, B_u, C_u , and D_u ;

 Find a minimum weight path P_u starting in a vertex of $A_u \cup D_u$ and ending in a vertex of $C_u \cup D_u$;

if $W(P_u) < W(P)$ **then**

$P = P_u$;

end-for

for each vertex (v, p) on P **do**

$f(v) = p$;

end

Figure 2: The algorithm for computing the best path broadcast domination.

Theorem 4.4 *Given a graph $G = (V, E)$, Algorithm MPBD computes an efficient broadcast domination f on G of minimum cost such that G_f is a path.*

Proof. We compute a minimum weight path in \mathcal{G}_u for every $u \in V$, and among all these paths we choose a path P with the lowest $W(P)$. By Lemma 4.3, P corresponds to a broadcast domination f of G such that G_f is a path, and by the way each \mathcal{G}_u is constructed, $W(P) = c_f(V)$. Assume that there is a broadcast domination f' on G with $c_{f'}(V) < c_f(V)$ such that $G_{f'}$ is a path. Lemma 4.3 guarantees the existence of a path P' in \mathcal{G}_v for some vertex $v \in V$ such that $W(P') < W(P)$, which is a contradiction. ■

Corollary 4.5 *Let $G = (V, E)$ be a graph such that there is an efficient optimal broadcast domination on G where the domination graph is a path. Algorithm MPBD computes such a broadcast domination on G .*

¹Recall that P_u might be a single vertex from D_u , corresponding to a radial broadcast.

4.2 Optimal broadcast domination for all cases

Now we want to compute an optimal broadcast domination for any given graph G . Our approach will be as follows. Let x be any vertex of G . For each k between 1 and $rad(G)$ such that $G' = G(V \setminus B(x, k))$ is connected or empty, we run the minimum path broadcast domination algorithm MPBD on G' . Our algorithm for the general case is given in Figure 3.

Algorithm Optimal Broadcast Domination - OBD

Input: A graph $G = (V, E)$.

Output: An efficient optimal broadcast domination function f on G .

```

begin
   $opt = \infty$ ;
  for each vertex  $x$  in  $G$  do
    for  $k = 1$  to  $rad(G)$  do
      if  $G' = G(V \setminus B(x, k))$  is connected or empty then
         $f = MPBD(G')$ ;
        if  $c_f(V \setminus B(x, k)) + k < opt$  then
           $opt = c_f(V \setminus B(x, k)) + k$ ;
           $f(x) = k$ ;
          for each vertex  $v$  in  $B(x, k) \setminus \{x\}$  do
             $f(v) = 0$ ;
          end-if
        end-if
      end-if
    end
  end

```

Figure 3: The algorithm for computing an optimal broadcast domination.

In this way, we consider all broadcast dominations f whose corresponding domination graphs are paths or cycles. The advantage of this approach is its simplicity. The disadvantage is that we also consider many cases that do not correspond to a path or a cycle, which we could have detected with a longer and more involved algorithm. However, these unnecessary cases do not threaten the correctness of the algorithm, and detecting them does not decrease the asymptotic time bound.

Theorem 4.6 *Algorithm OBD computes an optimal broadcast domination of any given graph.*

Proof. Let $G = (V, E)$ be the input graph. By Theorem 3.3 and Corollary 3.5, there is a vertex x in V and an integer $k \in [1, rad(G)]$ such that the graph $G' = G(V \setminus B(x, k))$ has an efficient optimal broadcast domination f' where the domination graph $G'_{f'}$ is a path, and that f' can be extended to an optimal broadcast domination f for G with $f(x) = k$, $f(v) = 0$ for $v \in B(x, k)$ with $x \neq v$, and $f(v) = f'(v)$ for all other vertices v . Algorithm MPBD computes an optimal broadcast domination of G' , and since Algorithm OBD tries all possibilities for (x, k) , the result follows. ■

Note that although there is always an efficient optimal broadcast domination f such that G_f is a cycle or a path, there can of course exist other optimal broadcast dominations f' with $c_{f'}(V) = c_f(V)$ such that $G_{f'}$ is not a path or a cycle, and such that f' is not efficient. The optimal broadcast domination returned by algorithm OBD does not necessarily correspond to a path or a cycle, since we do not force the endpoints (or forbid the interior points) of the path for G' to be neighbors of $B(x, k)$. Nor is the returned broadcast necessarily efficient, as some ball $B(v, p)$ might have an outreach outside of G' and might overlap with $B(x, k)$.

4.3 Time complexity

Given a graph G , for each vertex u in G , we create a graph G_u with at most $n rad(G)$ vertices. In each such graph we compute a path of minimum weight. Shortest paths

in graphs can be computed efficiently by well-known algorithms like the one by Dijkstra. Minimum weight paths can be computed by simple modifications of such algorithms within the same time bound. We repeat this process $n \text{ rad}(G)$ times to find the optimal broadcast domination. Thus the overall time complexity is clearly polynomial.

Note that in algorithm OBD we could have searched through fewer alternatives to reduce the running time in practice. After removing $B(x, k)$ from G , we could check only those paths whose starting and ending points contain neighbors of $B(x, k)$, to find an optimal broadcast domination f where G_f is a cycle. Then we would have to compare the best path case with the best cycle case in the end. In its current shape, Algorithm OBD is simpler, and for the asymptotic worst case time bound the enhancements would not give significant gain.

5 Concluding remarks

In this paper we have shown that the broadcast domination problem is solvable in polynomial time on all graphs. Our focus has been on polynomial time and not the best possible time bound. Our algorithm can be enhanced to run substantially faster, as mentioned. For further research, more efficient algorithms for this problem should be of interest.

The optimal broadcast domination problem studies the cost $c_f(V) = \sum_{v \in V} f(v)$ of a broadcast domination f on a graph $G = (V, E)$. We would like to mention that other definitions of the cost of a broadcast may be appropriate depending on the application, since the cost of a broadcast can be different from the value of a broadcast. To be more precise, one could define a cost function $c(i)$, and let the total cost be $c_f(V) = \sum_{v \in V} c(f(v))$. Thus in our case $c(i) = i$ for all i . Our polynomial time algorithm can be used for all cost functions c , where $c(i) + c(j) \geq c(i + j)$ for all distinct integers i and $j \geq 0$. For general cost functions the problem becomes NP-hard, because we can let $c(0) = 0$, $c(1) = 1$ and $c(i) > n$ for all $i > 1$, which gives a direct reduction from the standard dominating set problem.

References

- [1] J. Bar-Ilan, G. Kortsarz, and D. Peleg. How to allocate network centers. *J. Algorithms*, 15:385–415, 1993.
- [2] C. Berge. *Theory of Graphs and its Applications*. Number 2 in Collection Universitaire de Mathematiques. Dunod, Paris, 1958.
- [3] J. R. S. Blair, P. Heggernes, S. Horton, and F. Manne. Broadcast domination algorithms for interval graphs, series-parallel graphs, and trees. Technical Report 249, University of Bergen, Norway, 2003. Reports in Informatics.
- [4] J. E. Dunbar, D. J. Erwin, T. W. Haynes, S. M. Hedetniemi, and S. T. Hedetniemi. Broadcasts in graphs. 2002. Submitted.
- [5] D. J. Erwin. Dominating broadcasts in graphs. *Bull. Inst. Comb. Appl.*, 42:89–105, 2004.
- [6] M. R. Garey and D. S. Johnson. *Computers and Intractability*. W. H. Freeman and Co., 1978.
- [7] T. W. Haynes, S. T. Hedetniemi, and P. J. Slater. *Domination in Graphs: Advanced Topics*. Marcel Dekker, New York, 1998.
- [8] T. W. Haynes, S. T. Hedetniemi, and P. J. Slater. *Fundamentals of Domination in Graphs*. Marcel Dekker, New York, 1998.
- [9] M. A. Henning. Distance domination in graphs. In T. W. Haynes, S. T. Hedetniemi, and P. J. Slater, editors, *Domination in Graphs: Advanced Topics*, pages 321–349. Marcel Dekker, New York, 1998.

- [10] S. B. Horton, C. N. Meneses, A. Mukherjee, and M. E. Ulucakli. A computational study of the broadcast domination problem. Technical Report 2004-45, DIMACS Center for Discrete Mathematics and Theoretical Computer Science, 2004.
- [11] C. L. Liu. *Introduction to Combinatorial Mathematics*. McGraw-Hill, New York, 1968.
- [12] O. Ore. *Theory of Graphs*. Number 38 in American Mathematical Society Publications. AMS, Providence, 1962.
- [13] P. J. Slater. *R*-domination in graphs. *J. Assoc. Comput. Mach.*, 23:446–450, 1976.