



miRBase precursor : dme-mir-193_MI0005809
 Total read count : 90
 dme-miR-193-5p_MIMAT0020849 read count
 remaining reads : 83



dme-miR-193-5p_MIMAT0020849		-3'	exp	
5'	-3'	reads	mm	sample
....(((((.....((((.....((.....((.....)))).....)))).....)))).....	1	0	seq
.....gguugggauuuuuuagaucagca.....	1	1	seq
.....gguugggauuuuuuagaucagcaA.....	1	1	seq
.....uugAgauuuuuuagaucagca.....	1	0	seq
.....uugggauuuuuuagaucagca.....	1	0	seq
.....uugggauuuuuuagaucagcag.....	3	0	seq
.....uuuugcuauauuagccauuuu.....	1	0	seq
.....uacuggccuacuaaguccc.....	1	0	seq
.....uacugCccuacuaaguccca.....	1	1	seq
.....uacuggccuacuaaguccca.....	7	0	seq
.....uacuggccuacuaagCcccaa.....	1	1	seq
.....uacuggccuacuaagucccaa.....	10	0	seq
.....uGcuggccuacuaagucccaac.....	1	1	seq
.....uacGggccuacuaagucccaac.....	1	1	seq
.....uacuggccuacuaagucccaaA.....	2	1	seq
.....uacugCccuacuaagucccaac.....	1	1	seq
.....uacuggccuacuaagAcccaa.....	1	1	seq
.....uacuggccuacuaagucccaac.....	20	0	seq
.....uCuggccuacuaagucccaac.....	1	1	seq
.....uacuggccuacuaaguUccaac.....	1	1	seq
.....Aacuggccuacuaagucccaac.....	7	1	seq
.....acuggccuacuaaguccca.....	3	0	seq
.....acuggccuacuaagucccaac.....	1	0	seq
.....acuggccuacuaagucccUaca.....	1	1	seq
.....acuggccuacuaagucccGaca.....	1	1	seq
.....acuggccuacuaagucccaU.....	1	1	seq
.....acuggccuacuaagucccaaca.....	14	0	seq
.....acuggccuacuaagucccaacau.....	6	0	seq