

Publication List of Tor Helleseth up to 2012

Edited Books, Proceedings and Journal Special Issues

- [1] T. Helleseth, Ed., *Advances in Cryptology - EUROCRYPT '93*, ser. Lecture Notes in Computer Science, vol. 765. Berlin: Springer-Verlag, 1994, [Front Matter](#), [Link](#).
- [2] C. Ding, T. Helleseth, and H. Niederreiter, Eds., *Sequences and Their Applications*, ser. Discrete Mathematics and Theoretical Computer Science. Berlin: Springer-Verlag, 1999, [Cover](#).
- [3] T. Helleseth, P. V. Kumar, and K. Yang, Eds., *Sequences and Their Applications - SETA '01*, ser. Discrete Mathematics and Theoretical Computer Science. Berlin: Springer-Verlag, 2002, [Cover](#).
- [4] T. Helleseth, D. Sarwate, H.-Y. Song, and K. Yang, Eds., *Sequences and Their Applications - SETA 2004*, ser. Lecture Notes in Computer Science, vol. 3486. Berlin: Springer-Verlag, 2005, [Cover](#), [Front Matter](#), [Link](#).
- [5] G. Gong, T. Helleseth, H.-Y. Song, and K. Yang, Eds., *Sequences and Their Applications - SETA 2006*, ser. Lecture Notes in Computer Science, vol. 4086. Berlin: Springer-Verlag, 2006, [Cover](#), [Front Matter](#), [Link](#).
- [6] T. Helleseth and J. Jedwab, Eds., *Sequences and Their Applications - SETA 2012*, ser. Lecture Notes in Computer Science, vol. 7280. Berlin: Springer-Verlag, 2012, [Cover](#), [Front Matter](#), [Link](#).
- [7] A. Pott, P. V. Kumar, T. Helleseth, and D. Jungnickel, Eds., *Difference Sets, Sequences and their Correlation Properties*, ser. NATO Science Series, Series C: Mathematical and Physical Sciences. Dordrecht: Kluwer Academic Publishers, 1999, vol. 542, [Cover](#).
- [8] J.-S. No, H.-Y. Song, T. Helleseth, and P. V. Kumar, Eds., *Mathematical Properties of Sequences and other Combinatorial Structures*, ser. The Kluwer International Series in Engineering and Computer Science. Dordrecht: Kluwer Academic Publishers, 2003, [Cover](#).

- [9] T. Helleseth, P. V. Kumar, and Ø. Ytrehus, Eds., *Proceedings of the 2007 IEEE Information Theory Workshop on Information Theory for Wireless Networks*. IEEE, Jul. 2007, [Cover](#), [Front Matter](#), [IEEE Link](#).
- [10] S. Golomb, G. Gong, T. Helleseth, and H.-Y. Song, Eds., *Sequences, Subsequences, and Consequences*, ser. Lecture Notes in Computer Science, vol. 4893. Berlin: Springer-Verlag, 2007, [Cover](#), [Front Matter](#), [Link](#).
- [11] M. A. Hasan and T. Helleseth, Eds., *Arithmetic of Finite Fields*, ser. Lecture Notes in Computer Science, vol. 6087. Berlin: Springer-Verlag, 2010, [Cover](#), [Front Matter](#), [Link](#).
- [12] O. Grošek, T. Helleseth, A. Kholosha, and K. Nemoga, Eds., *NIL-CRYPT '10*, ser. Tatra Mountains Mathematical Publications, vol. 45. Bratislava: Mathematical Institute, Slovak Academy of Sciences, 2010.

Chapters in Books

- [13] T. Helleseth and P. V. Kumar, “Sequences with low correlation,” in *Handbook in Coding Theory*, V. S. Pless and W. C. Huffman, Eds. Amsterdam: Elsevier Science B.V., 1998, vol. II, ch. 21, pp. 1765–1853, [pdf](#).
- [14] T. Helleseth and T. Kløve, “Algebraic coding theory,” in *Wiley Encyclopedia of Electrical and Electronics Engineering*, J. G. Webster, Ed. Chichester: John Wiley & Sons, Inc., 1999, vol. 1, pp. 402–415, [pdf](#).
- [15] T. Helleseth and P. V. Kumar, “Pseudonoise sequences,” in *The Mobile Communications Handbook*, 2nd ed., ser. The electrical engineering handbook series, J. D. Gibson, Ed. London: CRC Press, 1999, ch. 8.
- [16] —, “Pseudonoise sequences,” in *The Communications Handbook*, 2nd ed., J. D. Gibson, Ed. London: CRC Press, 2002, ch. 8, pp. 8-1–8-12, [pdf](#).
- [17] T. Helleseth, “Sequence correlation,” in *Handbook of Combinatorial Designs*, 2nd ed., ser. Discrete Mathematics and its Applications, C. J. Colbourn and J. H. Dinitz, Eds. London: Chapman & Hall/CRC, 2007, ch. 7, pp. 313–317.

- [18] —, “Optical orthogonal codes,” in *Handbook of Combinatorial Designs*, 2nd ed., ser. Discrete Mathematics and its Applications, C. J. Colbourn and J. H. Dinitz, Eds. London: Chapman & Hall/CRC, 2007, ch. 9, pp. 321–322.
- [19] G. Garg, T. Helleseht, and P. V. Kumar, “Recent advances in low-correlation sequences,” in *New Directions in Wireless Communications Research*, V. Tarokh, Ed. Berlin: Springer-Verlag, 2009, ch. 3, pp. 63–92, [pdf](#).
- [20] T. Helleseht and T. Kløve, “Algebraic coding theory,” in *Wiley Encyclopedia of Computer Science and Engineering*, J. G. Webster, Ed. Chichester: John Wiley & Sons, Inc., 2009, vol. 1, pp. 80–94.

IEEE Transactions on Information Theory

- [21] T. Helleseht, “Some two-weight codes with composite parity-check polynomials,” *IEEE Trans. Inf. Theory*, vol. IT-22, no. 5, pp. 631–632, Sep. 1976, [pdf](#).
- [22] —, “All binary 3-error-correcting BCH codes of length $2^m - i$ have covering radius 5,” *IEEE Trans. Inf. Theory*, vol. IT-24, no. 2, pp. 257–258, Mar. 1978, [pdf](#).
- [23] T. Helleseht, T. Kløve, and J. J. Mykkeltveit, “On the covering radius of binary codes,” *IEEE Trans. Inf. Theory*, vol. IT-24, no. 5, pp. 627–628, Sep. 1978, [pdf](#).
- [24] T. Helleseht, “No primitive binary t -error-correcting BCH code with $t > 2$ is quasi-perfect,” *IEEE Trans. Inf. Theory*, vol. IT-25, no. 3, pp. 361–362, May 1979, [pdf](#).
- [25] T. Helleseht and H. C. van Tilborg, “A new class of codes meeting the Griesmer bound,” *IEEE Trans. Inf. Theory*, vol. IT-27, no. 5, pp. 548–555, Sep. 1981, [pdf](#).
- [26] T. Helleseht, “New constructions of codes meeting the Griesmer bound,” *IEEE Trans. Inf. Theory*, vol. IT-29, no. 3, pp. 434–439, May 1983, [pdf](#).

- [27] —, “Further classifications of codes meeting the Griesmer bound,” *IEEE Trans. Inf. Theory*, vol. IT-30, no. 2, pp. 395–403, Mar. 1984, [pdf](#).
- [28] S. M. Dodunekov, T. Helleseth, N. Manev, and Ø. Ytrehus, “New bounds on binary linear codes of dimension eight,” *IEEE Trans. Inf. Theory*, vol. IT-33, no. 6, pp. 917–919, Nov. 1987, [pdf](#).
- [29] Ø. Ytrehus and T. Helleseth, “There is no binary [25, 8, 10] code,” *IEEE Trans. Inf. Theory*, vol. 36, no. 3, pp. 695–696, May 1990, [pdf](#).
- [30] T. Helleseth and T. Kløve, “The number of cross-join pairs in maximum length linear sequences,” *IEEE Trans. Inf. Theory*, vol. 37, no. 6, pp. 1731–1733, Nov. 1991, [pdf](#).
- [31] T. Helleseth, T. Kløve, and Ø. Ytrehus, “Generalized Hamming weights of linear codes,” *IEEE Trans. Inf. Theory*, vol. 38, no. 3, pp. 1133–1140, May 1992, [pdf](#).
- [32] X. Chen, I. S. Reed, T. Helleseth, and T.-K. Truong, “Use of Gröbner bases to decode binary cyclic codes up to the true minimum distance,” *IEEE Trans. Inf. Theory*, vol. 40, no. 5, pp. 1654–1661, Sep. 1994, [pdf](#).
- [33] —, “General principles for the algebraic decoding of cyclic codes,” *IEEE Trans. Inf. Theory*, vol. 40, no. 5, pp. 1661–1663, Sep. 1994, [pdf](#).
- [34] T. Helleseth, T. Kløve, V. I. Levenshtein, and Ø. Ytrehus, “Bounds on the minimum support weights,” *IEEE Trans. Inf. Theory*, vol. 41, no. 2, pp. 432–440, Mar. 1995, [pdf](#).
- [35] P. V. Kumar, T. Helleseth, and A. R. Calderbank, “An upper bound for Weil exponential sums over Galois rings and applications,” *IEEE Trans. Inf. Theory*, vol. 41, no. 2, pp. 456–468, Mar. 1995, [pdf](#).
- [36] T. Helleseth and P. V. Kumar, “The algebraic decoding of the \mathbf{Z}_4 -linear Goethals code,” *IEEE Trans. Inf. Theory*, vol. 41, no. 6, Part II, pp. 2040–2048, Nov. 1995, [pdf](#).
- [37] A. R. Calderbank, G. McGuire, P. V. Kumar, and T. Helleseth, “Cyclic codes over \mathbf{Z}_4 , locator polynomials, and Newton’s identities,” *IEEE Trans. Inf. Theory*, vol. 42, no. 1, pp. 217–226, Jan. 1996, [pdf](#).

- [38] A. G. Shanbhag, P. V. Kumar, and T. Helleseeth, “Upper bound for a hybrid sum over Galois rings with applications to aperiodic correlation of some q -ary sequences,” *IEEE Trans. Inf. Theory*, vol. 42, no. 1, pp. 250–254, Jan. 1996, [pdf](#).
- [39] P. V. Kumar, T. Helleseeth, A. R. Calderbank, and J. A. Roger Hammons, “Large families of quaternary sequences with low correlation,” *IEEE Trans. Inf. Theory*, vol. 42, no. 2, pp. 579–592, Mar. 1996, [pdf](#).
- [40] T. Helleseeth and T. Kløve, “The weight hierarchies of some product codes,” *IEEE Trans. Inf. Theory*, vol. 42, no. 3, pp. 1029–1034, May 1996, [pdf](#).
- [41] T. Helleseeth, P. V. Kumar, O. Moreno, and A. G. Shanbhag, “Improved estimates via exponential sums for the minimum distance of \mathbf{Z}_4 -linear trace codes,” *IEEE Trans. Inf. Theory*, vol. 42, no. 4, pp. 1212–1216, Jul. 1996, [pdf](#).
- [42] A. G. Shanbhag, P. V. Kumar, and T. Helleseeth, “Improved binary codes and sequence families from \mathbf{Z}_4 -linear codes,” *IEEE Trans. Inf. Theory*, vol. 42, no. 5, pp. 1582–1587, Sep. 1996, [pdf](#).
- [43] K. Yang, T. Helleseeth, P. V. Kumar, and A. G. Shanbhag, “On the weight hierarchy of Kerdock codes over \mathbf{Z}_4 ,” *IEEE Trans. Inf. Theory*, vol. 42, no. 5, pp. 1587–1593, Sep. 1996, [pdf](#).
- [44] T. Helleseeth, T. Kløve, and V. I. Levenshtein, “On the information function of an error-correcting code,” *IEEE Trans. Inf. Theory*, vol. 43, no. 2, pp. 549–557, Mar. 1997, [pdf](#).
- [45] T. Helleseeth and T. Kløve, “The Newton radius of codes,” *IEEE Trans. Inf. Theory*, vol. 43, no. 6, pp. 1820–1831, Nov. 1997, [pdf](#).
- [46] K. Yang and T. Helleseeth, “On the weight hierarchy of Preparata codes over \mathbf{Z}_4 ,” *IEEE Trans. Inf. Theory*, vol. 43, no. 6, pp. 1832–1842, Nov. 1997, [pdf](#).
- [47] I. Boukliev, S. M. Dodunekov, T. Helleseeth, and Ø. Ytrehus, “On the $[162, 8, 80]$ codes,” *IEEE Trans. Inf. Theory*, vol. 43, no. 6, pp. 2055–2057, Nov. 1997, [pdf](#).

- [48] K. Yang and T. Helleseht, “On the weight hierarchy of Goethals codes over \mathbf{Z}_4 ,” *IEEE Trans. Inf. Theory*, vol. 44, no. 1, pp. 304–307, Jan. 1998, [pdf](#).
- [49] C. Ding, T. Helleseht, and W. Shan, “On the linear complexity of Legendre sequences,” *IEEE Trans. Inf. Theory*, vol. 44, no. 3, pp. 1276–1278, May 1998, [pdf](#).
- [50] C. Ding and T. Helleseht, “Generalized cyclotomic codes of length $p_1^{e_1} \cdots p_t^{e_t}$,” *IEEE Trans. Inf. Theory*, vol. 45, no. 2, pp. 467–474, Mar. 1999, [pdf](#).
- [51] T. Helleseht, C. Rong, and D. Sandberg, “New families of almost perfect nonlinear power mappings,” *IEEE Trans. Inf. Theory*, vol. 45, no. 2, pp. 475–485, Mar. 1999, [pdf](#).
- [52] T. Helleseht, B. Hove, and K. Yang, “Further results on generalized Hamming weights for Goethals and Preparata codes over \mathbf{Z}_4 ,” *IEEE Trans. Inf. Theory*, vol. 45, no. 4, pp. 1255–1258, May 1999, [pdf](#).
- [53] C. Rong, T. Helleseht, and J. Lahtonen, “On algebraic decoding of the \mathbf{Z}_4 -linear Calderbank-McGuire code,” *IEEE Trans. Inf. Theory*, vol. 45, no. 5, pp. 1423–1434, Jul. 1999, [pdf](#).
- [54] C. Ding, T. Helleseht, and K. Y. Lam, “Several classes of binary sequences with three-level autocorrelation,” *IEEE Trans. Inf. Theory*, vol. 45, no. 7, pp. 2606–2612, Nov. 1999, [pdf](#).
- [55] A. Chang, P. Gaal, S. W. Golomb, G. Gong, T. Helleseht, and P. V. Kumar, “On a conjectured ideal autocorrelation sequence and a related triple-error correcting cyclic code,” *IEEE Trans. Inf. Theory*, vol. 46, no. 2, pp. 680–687, Mar. 2000, [pdf](#).
- [56] N. Hamada, T. Helleseht, H. M. Martinsen, and Ø. Ytrehus, “There is no ternary $[28, 6, 16]$ code,” *IEEE Trans. Inf. Theory*, vol. 46, no. 4, pp. 1550–1554, Jul. 2000, [pdf](#).
- [57] C. Ding, T. Helleseht, and H. M. Martinsen, “New families of binary sequences with optimal three-level autocorrelation,” *IEEE Trans. Inf. Theory*, vol. 47, no. 1, pp. 428–433, Jan. 2001, [pdf](#).

- [58] H. Dobbertin, T. Helleseth, P. V. Kumar, and H. M. Martinsen, “Ternary m -sequences with three-valued cross-correlation function: new decimations of Welch and Niho type,” *IEEE Trans. Inf. Theory*, vol. 47, no. 4, pp. 1473–1481, May 2001, [pdf](#).
- [59] T. Helleseth and V. A. Zinoviev, “Codes with the same coset weight distributions as the \mathbf{Z}_4 -linear Goethals codes,” *IEEE Trans. Inf. Theory*, vol. 47, no. 4, pp. 1589–1595, May 2001, [pdf](#).
- [60] J.-S. No, H. Chung, H.-Y. Song, K. Yang, J.-D. Lee, and T. Helleseth, “New construction for binary sequences of period $p^m - 1$ with optimal autocorrelation using $(z + 1)^d + az^d + b$,” *IEEE Trans. Inf. Theory*, vol. 47, no. 4, pp. 1638–1644, May 2001, [pdf](#).
- [61] T. Helleseth and V. A. Zinoviev, “On coset weight distributions of the \mathbf{Z}_4 -linear Goethals codes,” *IEEE Trans. Inf. Theory*, vol. 47, no. 5, pp. 1758–1772, Jul. 2001, [pdf](#).
- [62] K. T. Arasu, C. Ding, T. Helleseth, P. V. Kumar, and H. M. Martinsen, “Almost difference sets and their sequences with optimal autocorrelation,” *IEEE Trans. Inf. Theory*, vol. 47, no. 7, pp. 2934–2943, Nov. 2001, [pdf](#).
- [63] C. Ding, T. Helleseth, H. Niederreiter, and C. Xing, “The minimum distance of the duals of binary irreducible cyclic codes,” *IEEE Trans. Inf. Theory*, vol. 48, no. 10, pp. 2679–2689, Oct. 2002, [pdf](#).
- [64] T. Helleseth and G. Gong, “New nonbinary sequences with ideal two-level autocorrelation,” *IEEE Trans. Inf. Theory*, vol. 48, no. 11, pp. 2868–2872, Nov. 2002, [pdf](#).
- [65] T. Helleseth, S.-H. Kim, and J.-S. No, “Linear complexity over \mathbf{F}_p and trace representation of Lempel-Cohn-Eastman sequences,” *IEEE Trans. Inf. Theory*, vol. 49, no. 6, pp. 1548–1552, Jun. 2003, [pdf](#).
- [66] K. Yang and T. Helleseth, “On the minimum distance of array codes as LDPC codes,” *IEEE Trans. Inf. Theory*, vol. 49, no. 12, pp. 3268–3271, Dec. 2003, [pdf](#).

- [67] J.-W. Jang, Y.-S. Kim, J.-S. No, and T. Helleseeth, “New family of p -ary sequences with optimal correlation property and large linear span,” *IEEE Trans. Inf. Theory*, vol. 50, no. 8, pp. 1839–1843, Aug. 2004, [pdf](#).
- [68] T. Helleseeth and J. F. Voloch, “Double circulant quadratic residue codes,” *IEEE Trans. Inf. Theory*, vol. 50, no. 9, pp. 2154–2155, Sep. 2004, [pdf](#).
- [69] T. Helleseeth, M. Maas, J. E. Mathiassen, and T. Segers, “Linear complexity over \mathbf{F}_p of Sidel’nikov sequences,” *IEEE Trans. Inf. Theory*, vol. 50, no. 10, pp. 2468–2472, Oct. 2004, [pdf](#).
- [70] T. Helleseeth, T. Kløve, and V. I. Levenshtein, “The simplex codes and other even-weight binary linear codes for error correction,” *IEEE Trans. Inf. Theory*, vol. 50, no. 11, pp. 2818–2823, Nov. 2004, [pdf](#).
- [71] T. Helleseeth and H. G. Schaathun, “On the (2,1)-separating weight of the Kerdock code,” *IEEE Trans. Inf. Theory*, vol. 50, no. 12, pp. 3312–3315, Dec. 2004, [pdf](#).
- [72] S.-H. Kim, J.-S. No, H. Chung, and T. Helleseeth, “New cyclic relative difference sets constructed from d -homogeneous functions with difference-balanced property,” *IEEE Trans. Inf. Theory*, vol. 51, no. 3, pp. 1155–1163, Mar. 2005, [pdf](#).
- [73] T. Helleseeth, T. Kløve, and V. I. Levenshtein, “Error-correction capability of binary linear codes,” *IEEE Trans. Inf. Theory*, vol. 51, no. 4, pp. 1408–1423, Apr. 2005, [pdf](#).
- [74] H. G. Schaathun and T. Helleseeth, “The second support weight distribution of the Kasami codes,” *IEEE Trans. Inf. Theory*, vol. 51, no. 8, pp. 2892–2894, Aug. 2005, [pdf](#).
- [75] H. Dobbertin, P. Felke, T. Helleseeth, and P. Rosendahl, “Niho type cross-correlation functions via Dickson polynomials and Kloosterman sums,” *IEEE Trans. Inf. Theory*, vol. 52, no. 2, pp. 613–627, Feb. 2006, [pdf](#).
- [76] G. J. Ness and T. Helleseeth, “Cross correlation of m -sequences of different lengths,” *IEEE Trans. Inf. Theory*, vol. 52, no. 4, pp. 1637–1648, Apr. 2006, [pdf](#).

- [77] P. Charpin, T. Helleseth, and V. A. Zinoviev, “The coset distribution of triple-error-correcting binary primitive BCH codes,” *IEEE Trans. Inf. Theory*, vol. 52, no. 4, pp. 1727–1732, Apr. 2006, [pdf](#).
- [78] T. Helleseth and A. Kholosha, “Monomial and quadratic bent functions over the finite fields of odd characteristic,” *IEEE Trans. Inf. Theory*, vol. 52, no. 5, pp. 2018–2032, May 2006, [pdf](#).
- [79] G. J. Ness, T. Helleseth, and A. Kholosha, “On the correlation distribution of the Coulter-Matthews decimation,” *IEEE Trans. Inf. Theory*, vol. 52, no. 5, pp. 2241–2247, May 2006, [pdf](#).
- [80] G. J. Ness and T. Helleseth, “A new three-valued cross correlation between m -sequences of different lengths,” *IEEE Trans. Inf. Theory*, vol. 52, no. 10, pp. 4695–4701, Oct. 2006, [pdf](#).
- [81] H. Molland and T. Helleseth, “Linear properties in T-functions,” *IEEE Trans. Inf. Theory*, vol. 52, no. 11, pp. 5151–5157, Nov. 2006, [pdf](#).
- [82] S. Rønjom and T. Helleseth, “A new attack on the filter generator,” *IEEE Trans. Inf. Theory*, vol. 53, no. 5, pp. 1752–1758, May 2007, [pdf](#).
- [83] C. Ding, T. Helleseth, T. Kløve, and X. Wang, “A generic construction of Cartesian authentication codes,” *IEEE Trans. Inf. Theory*, vol. 53, no. 6, pp. 2229–2235, Jun. 2007, [pdf](#).
- [84] T. Helleseth, A. Kholosha, and G. J. Ness, “Characterization of m -sequences of lengths $2^{2k} - 1$ and $2^k - 1$ with three-valued crosscorrelation,” *IEEE Trans. Inf. Theory*, vol. 53, no. 6, pp. 2236–2245, Jun. 2007, [pdf](#).
- [85] G. J. Ness and T. Helleseth, “A new family of ternary almost perfect nonlinear mappings,” *IEEE Trans. Inf. Theory*, vol. 53, no. 7, pp. 2581–2586, Jul. 2007, [pdf](#).
- [86] —, “A new family of four-valued cross correlation between m -sequences of different lengths,” *IEEE Trans. Inf. Theory*, vol. 53, no. 11, pp. 4308–4313, Nov. 2007, [pdf](#).
- [87] A. Johansen, T. Helleseth, and X. Tang, “The correlation distribution of quaternary sequences of period $2(2^n - 1)$,” *IEEE Trans. Inf. Theory*, vol. 54, no. 7, pp. 3130–3139, Jul. 2008, [pdf](#).

- [88] A. Johansen and T. Helleseeth, “A family of m -sequences with five-valued cross correlation,” *IEEE Trans. Inf. Theory*, vol. 55, no. 2, pp. 880–887, Feb. 2009, [pdf](#).
- [89] X. Tang, T. Helleseeth, L. Hu, and W. Jiang, “Two new families of optimal binary sequences obtained from quaternary sequences,” *IEEE Trans. Inf. Theory*, vol. 55, no. 4, pp. 1833–1840, Apr. 2009, [pdf](#).
- [90] T. Helleseeth, L. Hu, A. Kholosha, X. Zeng, N. Li, and W. Jiang, “Period-different m -sequences with at most four-valued cross correlation,” *IEEE Trans. Inf. Theory*, vol. 55, no. 7, pp. 3305–3311, Jul. 2009, [pdf](#).
- [91] T. Helleseeth, H. D. L. Hollmann, A. Kholosha, Z. Wang, and Q. Xiang, “Proofs of two conjectures on ternary weakly regular bent functions,” *IEEE Trans. Inf. Theory*, vol. 55, no. 11, pp. 5272–5283, Nov. 2009, [pdf](#).
- [92] A. Johansen, T. Helleseeth, and A. Kholosha, “Further results on m -sequences with five-valued cross correlation,” *IEEE Trans. Inf. Theory*, vol. 55, no. 12, pp. 5792–5802, Dec. 2009, [pdf](#).
- [93] T. Helleseeth and A. Kholosha, “New binomial bent functions over the finite fields of odd characteristic,” *IEEE Trans. Inf. Theory*, vol. 56, no. 9, pp. 4646–4652, Sep. 2010, [pdf](#).
- [94] X. Tang and T. Helleseeth, “Generic construction of quaternary sequences of period $2n$ with low correlation from quaternary sequences of odd period n ,” *IEEE Trans. Inf. Theory*, vol. 57, no. 4, pp. 2295–2300, Apr. 2011, [pdf](#).
- [95] G. Gong, S. Rønjom, T. Helleseeth, and H. Hu, “Fast discrete fourier spectra attacks on stream ciphers,” *IEEE Trans. Inf. Theory*, vol. 57, no. 8, pp. 5555–5565, Aug. 2011, [pdf](#).
- [96] J. Luo and T. Helleseeth, “Constant composition codes as subcodes of cyclic codes,” *IEEE Trans. Inf. Theory*, vol. 57, no. 11, pp. 7482–7488, Nov. 2011, [pdf](#).

- [97] N. Li, X. Tang, and T. Helleseeth, “Several classes of codes and sequences derived from a \mathbf{Z}_4 -valued quadratic form,” *IEEE Trans. Inf. Theory*, vol. 57, no. 11, pp. 7618–7628, Nov. 2011, [pdf](#).
- [98] G. Gong, T. Helleseeth, and H. Hu, “A three-valued Walsh transform from decimations of HelleseethGong sequences,” *IEEE Trans. Inf. Theory*, vol. 58, no. 2, pp. 1158–1162, Feb. 2012, [pdf](#).
- [99] G. Gong, T. Helleseeth, H. Hu, and A. Kholosha, “On the dual of certain ternary weakly regular bent functions,” *IEEE Trans. Inf. Theory*, vol. 58, no. 4, pp. 2237–2243, Apr. 2012, [pdf](#).
- [100] W. Jia, X. Zeng, T. Helleseeth, and C. Li, “A class of binomial bent functions over the finite fields of odd characteristic,” *IEEE Trans. Inf. Theory*, vol. 58, no. 9, pp. 6054–6063, Sep. 2012, [pdf](#).
- [101] L. Budaghyan, C. Carlet, T. Helleseeth, A. Kholosha, and S. Mesnager, “Further results on Niho bent functions,” *IEEE Trans. Inf. Theory*, vol. 58, no. 11, pp. 6979–6985, Nov. 2012, [pdf](#).

IEEE International Symposium on Information Theory (and Its Applications)

- [102] T. Helleseeth, “Codes meeting the Griesmer bound,” in *Abstracts of Papers of the 1982 IEEE International Symposium on Information Theory*. IEEE, Jun. 1982, p. 52.
- [103] —, “On the covering radius of cyclic linear codes and arithmetic codes,” in *Abstracts of Papers of the 1985 IEEE International Symposium on Information Theory*. IEEE, Jun. 1985, p. 69.
- [104] —, “Legendre sums and weights of QR codes,” in *Abstracts of Papers of the 1990 IEEE International Symposium on Information Theory*. IEEE, Jan. 1990, p. 148.
- [105] T. Helleseeth and Ø. Ytrehus, “Hunting for optimal codes of small dimensions,” in *Proceedings of the 1990 International Symposium on Information Theory and Its Applications*, vol. 1. IEEE, Nov. 1990, pp. 29–30.

- [106] N. Hamada, T. Helleseht, and Ø. Ytrehus, “A new class of nonbinary codes meeting the Griesmer bound,” in *Proceedings of the 1991 IEEE International Symposium on Information Theory*. IEEE, Jun. 1991, p. 9, [pdf](#).
- [107] E. R. Hauge and T. Helleseht, “DeBruijn sequences, irreducible codes and cyclotomy,” in *Proceedings of the 1993 IEEE International Symposium on Information Theory*. IEEE, Jan. 1993, p. 361, [pdf](#).
- [108] P. V. Kumar, T. Helleseht, and A. R. Calderbank, “An upper bound for some exponential sums over Galois rings and applications,” in *Proceedings of the 1994 IEEE International Symposium on Information Theory*. IEEE, Jun./Jul. 1994, p. 70, [pdf](#).
- [109] P. V. Kumar, T. Helleseht, A. R. Calderbank, and J. A. Roger Hammons, “Large families of quaternary sequences with low correlation,” in *Proceedings of the 1994 IEEE International Symposium on Information Theory*. IEEE, Jun./Jul. 1994, p. 71, [pdf](#).
- [110] T. Helleseht and P. V. Kumar, “The weight hierarchy of the Kasami codes,” in *Proceedings of the 1994 IEEE International Symposium on Information Theory*. IEEE, Jun./Jul. 1994, p. 308, [pdf](#).
- [111] A. G. Shanbhag, P. V. Kumar, and T. Helleseht, “An upper bound for extended Kloosterman sums over Galois rings,” in *Proceedings of the 1995 IEEE International Symposium on Information Theory*. IEEE, Sep. 1995, p. 88, [pdf](#).
- [112] —, “An upper bound for the aperiodic correlation of weighted-degree CDMA sequences,” in *Proceedings of the 1995 IEEE International Symposium on Information Theory*. IEEE, Sep. 1995, p. 92, [pdf](#).
- [113] X. Chen, I. S. Reed, and T. Helleseht, “On Gröbner bases of the error-locator ideal of Hermitian codes,” in *Proceedings of the 1995 IEEE International Symposium on Information Theory*. IEEE, Sep. 1995, p. 94, [pdf](#).
- [114] T. Helleseht, P. V. Kumar, and A. G. Shanbhag, “New codes with the same weight distributions as the Goethals codes and the Delsarte-Goethals codes,” in *Proceedings of the 1995 IEEE International Symposium on Information Theory*. IEEE, Sep. 1995, p. 274, [pdf](#).

- [115] T. Helleseth and E. Winjum, “The generalized Hamming weight of some BCH codes and related codes,” in *Proceedings of the 1995 IEEE International Symposium on Information Theory*. IEEE, Sep. 1995, p. 281, [pdf](#).
- [116] T. Helleseth, P. V. Kumar, O. Moreno, and A. G. Shanbhag, “Improved estimates for the minimum distance of weighted degree \mathbf{Z}_4 trace codes,” in *Proceedings of the 1995 IEEE International Symposium on Information Theory*. IEEE, Sep. 1995, p. 283, [pdf](#).
- [117] T. Helleseth and P. V. Kumar, “The algebraic decoding of the \mathbf{Z}_4 -linear Goethals code,” in *Proceedings of the 1995 IEEE International Symposium on Information Theory*. IEEE, Sep. 1995, p. 408, [pdf](#).
- [118] K. Yang, T. Helleseth, P. V. Kumar, and A. G. Shanbhag, “On the generalized Hamming weights for Kerdock codes over \mathbf{Z}_4 ,” in *Proceedings of the 1996 IEEE International Symposium on Information Theory and Its Applications*, vol. I. IEEE, Sep. 1996, pp. 39–42.
- [119] T. Helleseth, T. Kløve, and V. I. Levenshtein, “The Newton radius of equidistant codes,” in *Proceedings of the 1996 IEEE International Symposium on Information Theory and Its Applications*, vol. II. IEEE, Sep. 1996, pp. 721–722.
- [120] K. Yang and T. Helleseth, “On the minimum support weights of Goethals codes over \mathbf{Z}_4 ,” in *Proceedings of the 1997 IEEE International Symposium on Information Theory*. IEEE, Jun./Jul. 1997, p. 204, [pdf](#).
- [121] ———, “On the generalized Hamming weights for Preparata codes over \mathbf{Z}_4 ,” in *Proceedings of the 1997 IEEE International Symposium on Information Theory*. IEEE, Jun./Jul. 1997, p. 205, [pdf](#).
- [122] C. Rong and T. Helleseth, “The algebraic decoding of the \mathbf{Z}_4 -linear Calderbank-McGuire code,” in *Proceedings of the 1997 IEEE International Symposium on Information Theory*. IEEE, Jun./Jul. 1997, p. 328, [pdf](#).
- [123] T. Helleseth, T. Kløve, and V. I. Levenshtein, “On the information function of an error correcting code,” in *Proceedings of the 1997 IEEE*

International Symposium on Information Theory. IEEE, Jun./Jul. 1997, p. 362, [pdf](#).

- [124] K. Yang and T. Helleseth, “Kerdock codes over \mathbf{Z}_4 and their application to designs,” in *Proceedings of the 1998 IEEE International Symposium on Information Theory.* IEEE, Aug. 1998, p. 399, [pdf](#).
- [125] T. Helleseth and V. A. Zinoviev, “On the coset weight distributions of the \mathbf{Z}_4 -linear Goethals codes,” in *Proceedings of the 1998 IEEE International Symposium on Information Theory.* IEEE, Aug. 1998, p. 400, [pdf](#).
- [126] J.-S. No, H. Chung, H.-Y. Song, K. Yang, J.-D. Lee, and T. Helleseth, “Balanced and almost balanced binary sequences of period $p^m - 1$ with optimal autocorrelation using the polynomial $(z + 1)^d + az^d + b$ over $\text{GF}(p^m)$,” in *Proceedings of the 2000 IEEE International Symposium on Information Theory.* IEEE, Jun. 2000, p. 299, [pdf](#).
- [127] T. Helleseth, P. V. Kumar, and H. M. Martinsen, “A new family of ternary sequences with ideal two-level autocorrelation function,” in *Proceedings of the 2000 IEEE International Symposium on Information Theory.* IEEE, Jun. 2000, p. 328, [pdf](#).
- [128] H. Dobbertin, T. Helleseth, P. V. Kumar, and H. M. Martinsen, “Ternary m -sequences with three-valued crosscorrelation function: two new decimations,” in *Proceedings of the 2000 IEEE International Symposium on Information Theory.* IEEE, Jun. 2000, p. 329, [pdf](#).
- [129] T. Helleseth, T. Kløve, and V. I. Levenshtein, “Ordered orthogonal arrays of strength 4 and 5 from double-error-correcting BCH codes,” in *Proceedings of the 2001 IEEE International Symposium on Information Theory.* IEEE, Jun. 2001, p. 201.
- [130] J.-S. No, D.-J. Shin, and T. Helleseth, “On the p -ranks and characteristic polynomials of cyclic difference sets,” in *Proceedings of the 2002 IEEE International Symposium on Information Theory.* IEEE, Jun./Jul. 2002, p. 96, [pdf](#).
- [131] T. Helleseth, S.-H. Kim, and J.-S. No, “Linear complexity over \mathbf{F}_p and trace representation of Lempel-Cohn-Eastman sequences,” in *Pro-*

ceedings of the 2002 IEEE International Symposium on Information Theory. IEEE, Jun./Jul. 2002, p. 180, [pdf](#).

- [132] T. Helleseth and G. Gong, “New nonbinary sequences with ideal two-level autocorrelation function,” in *Proceedings of the 2002 IEEE International Symposium on Information Theory.* IEEE, Jun./Jul. 2002, p. 182, [pdf](#).
- [133] T. Helleseth, T. Kløve, and V. I. Levenshtein, “The simplex codes are not optimal for binary symmetric channels,” in *Proceedings of the 2003 IEEE International Symposium on Information Theory.* IEEE, Jun./Jul. 2003, p. 161, [pdf](#).
- [134] J.-W. Jang, Y.-S. Kim, J.-S. No, and T. Helleseth, “New family of p -ary sequences with optimal correlation property and large linear span,” in *Proceedings of the 2003 IEEE International Symposium on Information Theory.* IEEE, Jun./Jul. 2003, p. 405, [pdf](#).
- [135] T. Helleseth, T. Kløve, and V. I. Levenshtein, “Error-correction capability of binary linear codes,” in *Proceedings of the 2003 IEEE International Symposium on Information Theory.* IEEE, Jun./Jul. 2003, p. 463, [pdf](#).
- [136] T. Helleseth, J. E. Mathiassen, M. Maas, and T. Segers, “Linear complexity over \mathbf{F}_p of Sidel’nikov sequences,” in *Proceedings of the 2004 IEEE International Symposium on Information Theory.* IEEE, Jun./Jul. 2004, p. 122, [pdf](#).
- [137] Y.-S. Kim, J.-W. Jang, J.-S. No, and T. Helleseth, “New p -ary bent sequences,” in *Proceedings of the 2004 IEEE International Symposium on Information Theory.* IEEE, Jun./Jul. 2004, p. 498.
- [138] S. M. Dodunekov, T. Helleseth, and V. A. Zinoviev, “On q -ary Grey-Rankin bound and codes meeting this bound,” in *Proceedings of the 2004 IEEE International Symposium on Information Theory.* IEEE, Jun./Jul. 2004, p. 528, [pdf](#).
- [139] H. Molland and T. Helleseth, “A linear weakness in the Klimov-Shamir T-function,” in *Proceedings of the 2005 IEEE International Symposium on Information Theory.* IEEE, Sep. 2005, pp. 1106–1110, [pdf](#).

- [140] P. Charpin, T. Helleseht, and V. A. Zinoviev, “Coset distribution of triple-error-correcting binary primitive BCH codes,” in *Proceedings of the 2005 IEEE International Symposium on Information Theory*. IEEE, Sep. 2005, pp. 1972–1976, [pdf](#).
- [141] T. Helleseht, T. Kløve, and V. I. Levenshtein, “A bound for codes with given minimum and maximum distances,” in *Proceedings of the 2006 IEEE International Symposium on Information Theory*. IEEE, Jul. 2006, pp. 292–296, [pdf](#).
- [142] G. J. Ness and T. Helleseht, “Three-valued crosscorrelation between m -sequences of different lengths,” in *Proceedings of the 2006 IEEE International Symposium on Information Theory*. IEEE, Jul. 2006, pp. 1653–1657, [pdf](#).
- [143] P. Charpin, T. Helleseht, and V. A. Zinoviev, “On binary primitive BCH codes with minimum distance 8 and exponential sums,” in *Proceedings of the 2007 IEEE International Symposium on Information Theory*. IEEE, Jun. 2007, pp. 1976–1980, [pdf](#).
- [144] T. Helleseht, A. Kholosha, and A. Johansen, “ m -sequences of different lengths with four-valued cross correlation,” in *Proceedings of the 2008 IEEE International Symposium on Information Theory*. IEEE, Jul. 2008, pp. 2598–2602, [pdf](#).
- [145] P. Charpin, T. Helleseht, and V. A. Zinoviev, “Divisibility properties of Kloosterman sums over finite fields of characteristic two,” in *Proceedings of the 2008 IEEE International Symposium on Information Theory*. IEEE, Jul. 2008, pp. 2608–2612, [pdf](#).
- [146] A. Johansen and T. Helleseht, “Crosscorrelation of m -sequences with decimation $d = (p^l + 1)/(p^k + 1)$,” in *Proceedings of the 2008 International Symposium on Information Theory and Its Applications*. IEEE, Dec. 2008, pp. 1570–1575, [pdf](#).
- [147] C. Bracken and T. Helleseht, “Triple-error-correcting BCH-like codes,” in *Proceedings of the 2009 IEEE International Symposium on Information Theory*. IEEE, Jun./Jul. 2009, pp. 1723–1725, [pdf](#).
- [148] T. Helleseht and A. Kholosha, “New binomial bent functions over the finite fields of odd characteristic,” in *Proceedings of the 2010 IEEE*

International Symposium on Information Theory. IEEE, Jun. 2010, pp. 1277–1281, [pdf](#).

- [149] M. M. Hassanzadeh and T. Helleseeth, “Algebraic attack on the alternating step(r, s) generator,” in *Proceedings of the 2010 IEEE International Symposium on Information Theory*. IEEE, Jun. 2010, pp. 2493–2497, [pdf](#).
- [150] C. Carlet, T. Helleseeth, A. Kholosha, and S. Mesnager, “On the dual of bent functions with 2^r Niho exponents,” in *Proceedings of the 2011 IEEE International Symposium on Information Theory*. IEEE, Jul./Aug. 2011, pp. 657–661, [pdf](#).
- [151] N. Li, X. Tang, and T. Helleseeth, “New classes of generalized boolean bent functions over \mathbf{Z}_4 ,” in *Proceedings of the 2012 IEEE International Symposium on Information Theory*. IEEE, Jul. 2012, pp. 841–845, [pdf](#).
- [152] L. Budaghyan, C. Carlet, T. Helleseeth, and A. Kholosha, “Generalized bent functions and their relation to Maiorana-McFarland class,” in *Proceedings of the 2012 IEEE International Symposium on Information Theory*. IEEE, Jul. 2012, pp. 1217–1220, [pdf](#).
- [153] J. Luo and T. Helleseeth, “Binary Niho sequences with four-valued cross correlations,” in *Proceedings of the 2012 IEEE International Symposium on Information Theory*. IEEE, Jul. 2012, pp. 1221–1225, [pdf](#).
- [154] C. Li and T. Helleseeth, “New nonbinary sequence families with low correlation and large linear span,” in *Proceedings of the 2012 IEEE International Symposium on Information Theory*. IEEE, Jul. 2012, pp. 1416–1420, [pdf](#).

IEEE Information Theory Workshop

- [155] P. V. Kumar and T. Helleseeth, “An expansion for the coordinates of the trace function over Galois rings,” in *Proceedings of the 1997 IEEE Information Theory Workshop*. IEEE, Jul. 1997, pp. 5–6.
- [156] T. Helleseeth, P. V. Kumar, A. G. Shanbhag, and K. Yang, “On the weight hierarchy of some codes over \mathbf{Z}_4 ,” in *Proceedings of the 1997 IEEE Information Theory Workshop*. IEEE, Jul. 1997, pp. 7–8.

- [157] T. Helleseht, T. Kløve, and V. I. Levenshtein, “A coset weight count that proves that the simplex codes are not optimal for error correction,” in *Proceedings of the 2003 IEEE Information Theory Workshop*. IEEE, Mar./Apr. 2003, pp. 234–237, [pdf](#).
- [158] T. Helleseht and A. Kholosha, “New monomial bent functions over the finite fields of odd characteristic,” in *Proceedings of the 2005 IEEE Information Theory Workshop*. IEEE, Aug./Sep. 2005, pp. 72–76, [pdf](#).
- [159] L. A. Bassalygo, S. M. Dodunekov, T. Helleseht, and V. A. Zinoviev, “On a new q -ary combinatorial analog of the binary Grey-Rankin bound and codes meeting this bound,” in *Proceedings of the 2006 IEEE Information Theory Workshop*. IEEE, Mar. 2006, pp. 278–282, [pdf](#).
- [160] L. Budaghyan, C. Carlet, and T. Helleseht, “On bent functions associated to AB functions,” in *Proceedings of the 2011 IEEE Information Theory Workshop*. IEEE, Oct. 2011, pp. 150–154, [pdf](#).

Other IEEE Conferences

- [161] T. Helleseht, T. Kløve, and Ø. Ytrehus, “Codes, weight hierarchies, and chains,” in *Proceedings of the ICCS/ISITA '92 Communications on the Move*, vol. 2. IEEE, Nov. 1992, pp. 608–612, [pdf](#).
- [162] P. V. Kumar, H. F. F. Lu, T. Helleseht, and D.-J. Shin, “On the large family of low correlation quaternary sequences $S(2)$,” in *Proceedings of the 2000 IEEE International Conference on Personal Wireless Communications*. IEEE, Dec. 2000, pp. 33–37, [pdf](#).
- [163] M. M. Hassanzadeh, M. G. Parker, T. Helleseht, Y. E. Salehani, and M. R. S. Abyaneh, “Differential distinguishing attack on the Shannon stream cipher based on fault analysis,” in *Proceedings of the 2008 IEEE International Symposium on Telecommunications*. IEEE, Aug. 2008, pp. 671–676, [pdf](#).
- [164] T. Helleseht, “Cross-correlation of m -sequences, exponential sums and Dickson polynomials,” in *Fourth International Workshop on Signal Design and its Applications in Communications, IWSDA '09*. IEEE, Oct. 2009, p. 2, [pdf](#).

- [165] M. M. Hassanzadeh and T. Helleseeth, “Algebraic attack on the more generalized clock-controlled alternating step generator,” in *Proceedings of the 2010 IEEE International Conference on Signal Processing and Communications (SPCOM)*. IEEE, Jul. 2010, pp. 1–5, [pdf](#).
- [166] T. Helleseeth and A. Kholosha, “On generalized bent functions,” in *Proceedings of the 2010 IEEE Information Theory and Applications Workshop (ITA)*. IEEE, Jan./Feb. 2010, pp. 1–6, [pdf](#).
- [167] T. Helleseeth and S. Rønjom, “Simplifying algebraic attacks with univariate analysis,” in *Proceedings of the 2011 IEEE Information Theory and Applications Workshop (ITA)*. IEEE, Feb. 2011, pp. 1–7, [pdf](#).
- [168] J. Luo, T. Helleseeth, and A. Kholosha, “Two nonbinary sequences with six-valued cross correlation,” in *Fifth International Workshop on Signal Design and its Applications in Communications, IWSDA '11*. IEEE, Oct. 2011, pp. 44–47, [pdf](#).

Articles in Lecture Notes in Computer Science/Mathematics and SETA Proceedings

- [169] N. Hamada and T. Helleseeth, “On a characterization of some minihypers in $PG(t, q)$ ($q = 3$ or 4) and its applications to error-correcting codes,” in *Coding Theory and Algebraic Geometry*, ser. Lecture Notes in Mathematics, H. Stichtenoth and M. A. Tsfasman, Eds., vol. 1518. Berlin: Springer-Verlag, 1992, pp. 43–62, [pdf](#).
- [170] T. Helleseeth, T. Kløve, and Ø. Ytrehus, “Generalizations of the Griesmer bound,” in *Error Control, Cryptology, and Speech Compression*, ser. Lecture Notes in Computer Science, A. Chmora and S. B. Wicker, Eds., vol. 829. Berlin: Springer-Verlag, 1994, pp. 41–52, [pdf](#).
- [171] T. Helleseeth and T. Johansson, “Universal hash functions from exponential sums over finite fields and Galois rings,” in *Advances in Cryptology - CRYPTO '96*, ser. Lecture Notes in Computer Science, N. Koblitz, Ed., vol. 1109. Berlin: Springer-Verlag, 1996, pp. 31–44, [pdf](#).

- [172] T. Helleseeth, “Correlation of m -sequences and related topics,” in *Sequences and Their Applications*, ser. Discrete Mathematics and Theoretical Computer Science, C. Ding, T. Helleseeth, and H. Niederreiter, Eds. Berlin: Springer-Verlag, 1999, pp. 49–66.
- [173] T. Helleseeth, P. V. Kumar, H. M. Martinsen, and O. N. Vassbakk, “Correlation distribution of the quaternary Kasami sequences,” in *Sequences and Their Applications*, ser. Discrete Mathematics and Theoretical Computer Science, C. Ding, T. Helleseeth, and H. Niederreiter, Eds. Berlin: Springer-Verlag, 1999, pp. 240–253.
- [174] T. Helleseeth, “Codes over \mathbf{Z}_4 ,” in *Computational Discrete Mathematics: Advanced Lectures*, ser. Lecture Notes in Computer Science, H. Alt, Ed., vol. 2122. Berlin: Springer-Verlag, 2001, pp. 47–55, [pdf](#).
- [175] —, “On the crosscorrelation of m -sequences and related sequences with ideal autocorrelation,” in *Sequences and Their Applications - SETA '01*, ser. Discrete Mathematics and Theoretical Computer Science, T. Helleseeth, P. V. Kumar, and K. Yang, Eds. Berlin: Springer-Verlag, 2002, pp. 34–45.
- [176] T. Helleseeth and K. Yang, “On binary sequences of period $n = p^m - 1$ with optimal autocorrelation,” in *Sequences and Their Applications - SETA '01*, ser. Discrete Mathematics and Theoretical Computer Science, T. Helleseeth, P. V. Kumar, and K. Yang, Eds. Berlin: Springer-Verlag, 2002, pp. 209–217.
- [177] H. G. Schaathun and T. Helleseeth, “Separating and intersecting properties of BCH and Kasami codes,” in *Cryptography and Coding*, ser. Lecture Notes in Computer Science, K. G. Paterson, Ed., vol. 2898. Berlin: Springer-Verlag, 2003, pp. 52–65, [pdf](#).
- [178] H. Molland, J. E. Mathiassen, and T. Helleseeth, “Improved fast correlation attack using low rate codes,” in *Cryptography and Coding*, ser. Lecture Notes in Computer Science, K. G. Paterson, Ed., vol. 2898. Berlin: Springer-Verlag, 2003, pp. 67–81, [pdf](#).
- [179] H. Molland and T. Helleseeth, “An improved correlation attack against irregular clocked and filtered keystream generators,” in *Advances in Cryptology - CRYPTO 2004*, ser. Lecture Notes in Computer Science,

- M. Franklin, Ed., vol. 3152. Berlin: Springer-Verlag, 2004, pp. 373–389, [pdf](#).
- [180] T. Helleseeth, C. J. A. Jansen, S. Khazaei, and A. Kholosha, “Security of jump controlled sequence generators for stream ciphers,” in *Sequences and Their Applications - SETA 2006*, ser. Lecture Notes in Computer Science, G. Gong, T. Helleseeth, H.-Y. Song, and K. Yang, Eds., vol. 4086. Berlin: Springer-Verlag, 2006, pp. 141–152, [pdf](#).
- [181] S. Rønjom and T. Helleseeth, “Attacking the filter generator over $\text{GF}(2^m)$,” in *Arithmetic of Finite Fields*, ser. Lecture Notes in Computer Science, C. Carlet and B. Sunar, Eds., vol. 4547. Berlin: Springer-Verlag, 2007, pp. 264–275, [pdf](#).
- [182] T. Helleseeth and A. Kholosha, “On the dual of monomial quadratic p -ary bent functions,” in *Sequences, Subsequences, and Consequences*, ser. Lecture Notes in Computer Science, S. Golomb, G. Gong, T. Helleseeth, and H.-Y. Song, Eds., vol. 4893. Berlin: Springer-Verlag, 2007, pp. 50–61, [pdf](#).
- [183] X. Tang, T. Helleseeth, L. Hu, and W. Jiang, “A new family of Gold-like sequences,” in *Sequences, Subsequences, and Consequences*, ser. Lecture Notes in Computer Science, S. Golomb, G. Gong, T. Helleseeth, and H.-Y. Song, Eds., vol. 4893. Berlin: Springer-Verlag, 2007, pp. 62–69, [pdf](#).
- [184] S. Rønjom and T. Helleseeth, “The linear vector space spanned by the nonlinear filter generator,” in *Sequences, Subsequences, and Consequences*, ser. Lecture Notes in Computer Science, S. Golomb, G. Gong, T. Helleseeth, and H.-Y. Song, Eds., vol. 4893. Berlin: Springer-Verlag, 2007, pp. 169–183, [pdf](#).
- [185] S. Rønjom, G. Gong, and T. Helleseeth, “On attacks on filtering generators using linear subspace structures,” in *Sequences, Subsequences, and Consequences*, ser. Lecture Notes in Computer Science, S. Golomb, G. Gong, T. Helleseeth, and H.-Y. Song, Eds., vol. 4893. Berlin: Springer-Verlag, 2007, pp. 204–217, [pdf](#).
- [186] —, “A survey of recent attacks on the filter generator,” in *Applied Algebra, Algebraic Algorithms and Error-Correcting Codes*, ser. Lecture

Notes in Computer Science, S. Boztas and H.-F. Lu, Eds., vol. 4851. Berlin: Springer-Verlag, 2007, pp. 7–17, [pdf](#).

- [187] C. J. A. Jansen, T. Helleseeth, and A. Kholosha, “Cascade jump controlled sequence generator and Pomaranch stream cipher,” in *New Stream Cipher Designs - The eSTREAM Finalists*, ser. Lecture Notes in Computer Science, M. Robshaw and O. Billet, Eds., vol. 4986. Berlin: Springer-Verlag, 2008, pp. 224–243, [pdf](#).
- [188] T. Helleseeth and A. Kholosha, “ m -sequences of lengths $2^{2k}-1$ and 2^k-1 with at most four-valued cross correlation,” in *Sequences and Their Applications - SETA 2008*, ser. Lecture Notes in Computer Science, S. W. Golomb, M. G. Parker, A. Pott, and A. Winterhof, Eds., vol. 5203. Berlin: Springer-Verlag, 2008, pp. 106–120, [pdf](#).
- [189] X. Tang, T. Helleseeth, and A. Johansen, “On the correlation distribution of Kerdock sequences,” in *Sequences and Their Applications - SETA 2008*, ser. Lecture Notes in Computer Science, S. W. Golomb, M. G. Parker, A. Pott, and A. Winterhof, Eds., vol. 5203. Berlin: Springer-Verlag, 2008, pp. 121–129, [pdf](#).
- [190] L. Budaghyan and T. Helleseeth, “New perfect nonlinear multinomials over $\mathbf{F}_{p^{2k}}$ for any odd prime p ,” in *Sequences and Their Applications - SETA 2008*, ser. Lecture Notes in Computer Science, S. W. Golomb, M. G. Parker, A. Pott, and A. Winterhof, Eds., vol. 5203. Berlin: Springer-Verlag, 2008, pp. 403–414, [pdf](#).
- [191] T. Helleseeth and A. Kholosha, “Sequences, bent functions and jacobsthal sums,” in *Sequences and Their Applications - SETA 2010*, ser. Lecture Notes in Computer Science, C. Carlet and A. Pott, Eds., vol. 6338. Berlin: Springer-Verlag, 2010, pp. 416–429, [pdf](#).
- [192] G. Gong, T. Helleseeth, H. Hu, and C. Li, “New three-valued Walsh transforms from decimations of Helleseeth-Gong sequences,” in *Sequences and Their Applications - SETA 2012*, ser. Lecture Notes in Computer Science, T. Helleseeth and J. Jedwab, Eds., vol. 7280. Berlin: Springer-Verlag, 2012, pp. 327–337, [pdf](#).

Discrete Mathematics

- [193] T. Helleseth, “Some results about the cross-correlation function between two maximal linear sequences,” *Discrete Math.*, vol. 16, no. 3, pp. 209–232, Nov. 1976, [pdf](#).
- [194] T. Helleseth, T. Kløve, and J. J. Mykkeltveit, “The weight distribution of irreducible cyclic codes with block lengths $n_1((q^l - 1)/N)$,” *Discrete Math.*, vol. 18, no. 2, pp. 179–211, 1977, [pdf](#).
- [195] T. Helleseth, “The weight enumerator polynomials of some classes of codes with composite parity-check polynomials,” *Discrete Math.*, vol. 20, no. 1, pp. 21–31, 1977, [pdf](#).
- [196] —, “A note on the cross-correlation function between two binary maximal length linear sequences,” *Discrete Math.*, vol. 23, no. 3, pp. 301–307, 1978, [pdf](#).
- [197] —, “The weight distribution of the coset leaders for some classes of codes with related parity-check matrices,” *Discrete Math.*, vol. 28, no. 2, pp. 161–171, Nov. 1979, [pdf](#).
- [198] T. Helleseth and H. F. M. Jr., “On the cosets of the simplex code,” *Discrete Math.*, vol. 56, no. 2-3, pp. 169–189, Oct. 1985, [pdf](#).
- [199] N. Hamada and T. Helleseth, “A characterization of some $\{2v_{\alpha+1} + v_{\gamma+1}, 2v_{\alpha} + v_{\gamma}; k - 1, 3\}$ -minihypers and some $(n, k, 3^{k-1} - 2 \cdot 3^{\alpha} - 3^{\gamma}; 3)$ -codes ($k \geq 3, 0 \leq \alpha < \gamma < k - 1$) meeting the Griesmer bound,” *Discrete Math.*, vol. 104, no. 1, pp. 67–81, Jun. 1992, [pdf](#).
- [200] T. Helleseth, “Projective codes meeting the Griesmer bound,” *Discrete Math.*, vol. 106-107, pp. 265–271, Sep. 1992, [pdf](#).
- [201] N. Hamada, T. Helleseth, and Ø. Ytrehus, “Characterization of $\{2(q + 1) + 2, 2; t, q\}$ -minihypers in $\text{PG}(t, q)$ ($t \geq 3, q \in \{3, 4\}$),” *Discrete Math.*, vol. 115, no. 1-3, pp. 175–185, May 1993, [pdf](#).
- [202] T. Helleseth and P. V. Kumar, “The weight hierarchy of the Kasami codes,” *Discrete Math.*, vol. 145, no. 1-3, pp. 133–143, Oct. 1995, [pdf](#).

- [203] N. Hamada and T. Helleseht, “A characterization of some $\{3v_{\mu+1}, 3v_{\mu}; k-1, q\}$ -minihypers and some $[n, k, q^{k-1} - 3q^{\mu}; q]$ -codes ($k \geq 3, q \geq 5, 1 \leq \mu < k-1$) meeting the Griesmer bound,” *Discrete Math.*, vol. 146, no. 1-3, pp. 59–67, Nov. 1995, [pdf](#).
- [204] T. Helleseht and P. V. Kumar, “On the weight hierarchy of the semiprimitive codes,” *Discrete Math.*, vol. 152, no. 1-3, pp. 185–190, May 1996, [pdf](#).
- [205] E. R. Hauge and T. Helleseht, “DeBruijn sequences, irreducible codes and cyclotomy,” *Discrete Math.*, vol. 159, no. 1-3, pp. 143–154, Nov. 1996, [pdf](#).
- [206] T. Helleseht, C. Rong, and K. Yang, “New infinite families of 3-designs from Preparata codes over \mathbf{Z}_4 ,” *Discrete Math.*, vol. 195, no. 1-3, pp. 139–156, Jan. 1999, [pdf](#).
- [207] C. Ding, T. Helleseht, and K. Y. Lam, “Duadic sequences of prime lengths,” *Discrete Math.*, vol. 218, no. 1-3, pp. 33–49, May 2000, [pdf](#).
- [208] T. Helleseht, C. Rong, and K. Yang, “New 3-designs from Goethals codes over \mathbf{Z}_4 ,” *Discrete Math.*, vol. 226, no. 1-3, pp. 403–409, Jan. 2001, [pdf](#).
- [209] ———, “On t -designs from codes over \mathbf{Z}_4 ,” *Discrete Math.*, vol. 238, no. 1-3, pp. 67–80, Jul. 2001, [pdf](#).
- [210] D.-J. Shin, P. V. Kumar, and T. Helleseht, “5-designs from the lifted Golay code over \mathbf{Z}_4 via an Assmus-Mattson type approach,” *Discrete Math.*, vol. 241, no. 1-3, pp. 479–487, Oct. 2001, [pdf](#).
- [211] T. Helleseht and V. A. Zinoviev, “On a new identity for Kloosterman sums and nonlinear system of equations over finite fields of characteristic 2,” *Discrete Math.*, vol. 274, no. 1-3, pp. 109–124, Jan. 2004, [pdf](#).
- [212] P. Charpin, T. Helleseht, and V. A. Zinoviev, “Divisibility properties of classical binary Kloosterman sums,” *Discrete Math.*, vol. 309, no. 12, pp. 3975–3984, Jun. 2009, [pdf](#).

Designs, Codes and Cryptography

- [213] N. Hamada, T. Helleseeth, and Ø. Ytrehus, “On the construction of $[q^4 + q^2 - q, 5, q^4 - q^3 + q^2 - 2q; q]$ -codes meeting the Griesmer bound,” *Des. Codes Cryptogr.*, vol. 2, no. 3, pp. 225–229, Sep. 1992, [pdf](#).
- [214] T. Helleseeth, P. V. Kumar, and A. G. Shanbhag, “Codes with the same weight distributions as the Goethals codes and the Delsarte-Goethals codes,” *Des. Codes Cryptogr.*, vol. 9, no. 3, pp. 257–266, Nov. 1996, [pdf](#).
- [215] R. Anderson, C. Ding, T. Helleseeth, and T. Kløve, “How to build robust shared control systems,” *Des. Codes Cryptogr.*, vol. 15, no. 2, pp. 111–124, Nov. 1998, [pdf](#).
- [216] T. Helleseeth, P. V. Kumar, and K. Yang, “An infinite family of 3-designs from Preparata codes over \mathbf{Z}_4 ,” *Des. Codes Cryptogr.*, vol. 15, no. 2, pp. 175–181, Nov. 1998, [pdf](#).
- [217] K. Yang and T. Helleseeth, “Two new infinite families of 3-designs from Kerdock codes over \mathbf{Z}_4 ,” *Des. Codes Cryptogr.*, vol. 15, no. 2, pp. 201–214, Nov. 1998, [pdf](#).
- [218] T. Helleseeth and V. A. Zinoviev, “On \mathbf{Z}_4 -linear Goethals codes and Kloosterman sums,” *Des. Codes Cryptogr.*, vol. 17, no. 1-3, pp. 269–288, Sep. 1999, [pdf](#).
- [219] I. Duursma, T. Helleseeth, C. Rong, and K. Yang, “Split weight enumerators for the Preparata codes with applications to designs,” *Des. Codes Cryptogr.*, vol. 18, no. 1-3, pp. 103–124, Dec. 1999, [pdf](#).
- [220] T. Helleseeth, P. V. Kumar, and H. M. Martinsen, “A new family of ternary sequences with ideal two-level autocorrelation function,” *Des. Codes Cryptogr.*, vol. 23, no. 2, pp. 157–166, Jul. 2001, [pdf](#).
- [221] D.-J. Shin, P. V. Kumar, and T. Helleseeth, “3-designs from the \mathbf{Z}_4 -Goethals codes via a new Kloosterman sum identity,” *Des. Codes Cryptogr.*, vol. 28, no. 3, pp. 247–263, Apr. 2003, [pdf](#).
- [222] T. Helleseeth, T. Kløve, and V. I. Levenshtein, “Hypercubic 4 and 5-designs from double-error-correcting BCH codes,” *Des. Codes Cryptogr.*, vol. 28, no. 3, pp. 265–282, Apr. 2003, [pdf](#).

- [223] D.-J. Shin, P. V. Kumar, and T. Helleseeth, “An Assmus-Mattson-type approach for identifying 3-designs from linear codes over \mathbf{Z}_4 ,” *Des. Codes Cryptogr.*, vol. 31, no. 1, pp. 75–92, Jan. 2004, [pdf](#).
- [224] J.-S. No, D.-J. Shin, and T. Helleseeth, “On the p -ranks and characteristic polynomials of cyclic difference sets,” *Des. Codes Cryptogr.*, vol. 33, no. 1, pp. 23–37, Aug. 2004, [pdf](#).
- [225] T. Helleseeth and J. J. Mykkeltveit, “A proof of Simmons’ conjecture,” *Des. Codes Cryptogr.*, vol. 33, no. 1, pp. 39–43, Aug. 2004, [pdf](#).
- [226] X. Tang, T. Helleseeth, and P. Fan, “A new optimal quaternary sequence family of length $2(2^n - 1)$ obtained from the orthogonal transformation of families \mathcal{B} and \mathcal{C} ,” *Des. Codes Cryptogr.*, vol. 53, no. 3, pp. 137–148, Dec. 2009, [pdf](#).

Finite Fields and Their Applications

- [227] N. Hamada and T. Helleseeth, “Construction of some optimal ternary linear codes and the uniqueness of $[294, 6, 195; 3]$ -codes meeting the Griesmer bound,” *Finite Fields Appl.*, vol. 1, no. 4, pp. 458–468, Oct. 1995, [pdf](#).
- [228] C. Ding and T. Helleseeth, “New generalized cyclotomy and its applications,” *Finite Fields Appl.*, vol. 4, no. 2, pp. 140–166, Apr. 1998, [pdf](#).
- [229] A. G. Shanbhag, P. V. Kumar, and T. Helleseeth, “An upper bound for the extended Kloosterman sums over Galois rings,” *Finite Fields Appl.*, vol. 4, no. 3, pp. 218–238, Jul. 1998, [pdf](#).
- [230] T. Helleseeth and V. A. Zinoviev, “New Kloosterman sums identities over \mathbf{F}_{2^m} for all m ,” *Finite Fields Appl.*, vol. 9, no. 2, pp. 187–193, Apr. 2003, [pdf](#).
- [231] T. Helleseeth and P. Rosendahl, “New pairs of m -sequences with 4-level cross-correlation,” *Finite Fields Appl.*, vol. 11, no. 4, pp. 674–683, Nov. 2005, [pdf](#).

- [232] T. Helleseht, J. Lahtonen, and P. Rosendahl, “On Niho type cross-correlation functions of m -sequences,” *Finite Fields Appl.*, vol. 13, no. 2, pp. 305–317, Apr. 2007, [pdf](#).
- [233] P. Charpin, T. Helleseht, and V. A. Zinoviev, “Propagation characteristics of $x \mapsto x^{-1}$ and Kloosterman sums,” *Finite Fields Appl.*, vol. 13, no. 2, pp. 366–381, Apr. 2007, [pdf](#).
- [234] T. Helleseht and A. Kholosha, “On the equation $x^{2^l+1} + x + a = 0$ over $\text{GF}(2^k)$,” *Finite Fields Appl.*, vol. 14, no. 1, pp. 159–176, Jan. 2008, [pdf](#).

Fq and CCC 2003 Conference Proceedings

- [235] N. Hamada and T. Helleseht, “A characterization of some minihypers and codes meeting the Griesmer bound over $\text{GF}(q)$, $q > 9$,” in *Finite fields, coding theory, and advances in communications and computing*, ser. Lecture Notes in Pure and Applied Mathematics, G. L. Mullen and P. J.-S. Shiue, Eds., vol. 141. New York: Marcel Dekker, Inc., 1993, pp. 105–122, [pdf](#).
- [236] X. Chen, I. S. Reed, T. Helleseht, and T.-K. Truong, “Algebraic decoding of cyclic codes: A polynomial ideal point of view,” in *Finite Fields: Theory, Applications, and Algorithms*, ser. Contemporary Mathematics, G. L. Mullen and P. J.-S. Shiue, Eds., vol. 168. Providence, Rhode Island: American Mathematical Society, 1994, pp. 15–22, [pdf](#).
- [237] N. Hamada and T. Helleseht, “A characterization of some ternary codes meeting the Griesmer bound,” in *Finite Fields: Theory, Applications, and Algorithms*, ser. Contemporary Mathematics, G. L. Mullen and P. J.-S. Shiue, Eds., vol. 168. Providence, Rhode Island: American Mathematical Society, 1994, pp. 139–150, [pdf](#).
- [238] T. Helleseht, P. V. Kumar, and A. G. Shanbhag, “Exponential sums over Galois rings and their applications,” in *Finite Fields and Applications*, ser. London Mathematical Society Lecture Note Series, S. D. Cohen and H. Niederreiter, Eds., vol. 233. New York: Cambridge University Press, 1996, pp. 109–128, [pdf](#).

- [239] C. Rong and T. Helleseht, “Use characteristic sets to decode cyclic codes up to actual minimum distance,” in *Finite Fields and Applications*, ser. London Mathematical Society Lecture Note Series, S. D. Cohen and H. Niederreiter, Eds., vol. 233. New York: Cambridge University Press, 1996, pp. 297–312, [pdf](#).
- [240] K. Shum, P. V. Kumar, and T. Helleseht, “The L-function of Gold exponential sum,” in *Finite Fields and Applications*, D. Jungnickel and H. Niederreiter, Eds. Berlin: Springer-Verlag, 2001, pp. 418–427.
- [241] T. Helleseht, A. Kholosha, and S. Mesnager, “Niho bent functions and Subiaco hyperovals,” in *Theory and Applications of Finite Fields*, ser. Contemporary Mathematics, M. Lavrauw, G. L. Mullen, S. Nikova, D. Panario, and L. Storme, Eds., vol. 579. Providence, Rhode Island: American Mathematical Society, 2012, pp. 91–101, [pdf](#).
- [242] T. Helleseht, J. Lahtonen, and P. Rosendahl, “On certain equations over finite fields and cross-correlations of m -sequences,” in *Coding, Cryptography and Combinatorics*, ser. Progress in Computer Science and Applied Logic, K. Feng, H. Niederreiter, and C. Xing, Eds., vol. 23. Berlin: Springer-Verlag, 2004, pp. 169–176, [pdf](#).

Mathematica Japonica

- [243] N. Hamada and T. Helleseht, “A characterization of some linear codes over $\text{GF}(4)$ meeting the Griesmer bound,” *Math. Japon.*, vol. 37, no. 2, pp. 231–242, 1992.
- [244] —, “A characterization of some q -ary codes ($q > (h - 1)^2$, $h \geq 3$) meeting the Griesmer bound,” *Math. Japon.*, vol. 38, no. 5, pp. 925–940, 1993.
- [245] —, “A characterization of some $\{\nu_1 + \nu_2 + 2\nu_3, \nu_0 + \nu_1 + 2\nu_2; 4, 3\}$ -minihypers and some $[90, 5, 59; 3]$ -codes meeting the Griesmer bound,” *Math. Japon.*, vol. 41, no. 3, pp. 657–672, May 1995.
- [246] —, “A characterization of $\{3\nu_1 + \nu_4, 3\nu_0 + \nu_3; 4, 3\}$ -minihypers and projective ternary $[78, 5, 51; 3]$ -codes,” *Math. Japon.*, vol. 43, no. 2, pp. 253–266, Mar. 1996.

- [247] —, “The nonexistence of some ternary linear codes and update of the bounds for $n_3(6, d)$, $1 \leq d \leq 243$,” *Math. Japon.*, vol. 52, no. 1, pp. 31–43, Jul. 2000.

Journal of Statistical Planning and Inference

- [248] —, “A characterization of some $\{\nu_2 + 2\nu_3, \nu_1 + 2\nu_2; k - 1, 3\}$ -minihypers and some $(\nu_k - 30, k, 3^{k-1} - 21; 3)$ -codes meeting the Griesmer bound,” *Journal of Statistical Planning and Inference*, vol. 34, no. 3, pp. 387–402, Mar. 1993, [pdf](#).
- [249] —, “The uniqueness of $[87, 5, 57; 3]$ -codes and the nonexistence of $[258, 6, 171; 3]$ -codes,” *Journal of Statistical Planning and Inference*, vol. 56, no. 1, pp. 105–127, Dec. 1996, [pdf](#).
- [250] —, “A characterization of some $\{3v_2 + v_3, 3v_1 + v_2; 3, 3\}$ -minihypers and some $[15, 4, 9; 3]$ -codes with $B_2 = 0$,” *Journal of Statistical Planning and Inference*, vol. 56, no. 1, pp. 129–146, Dec. 1996, [pdf](#).
- [251] —, “The nonexistence of ternary $[97, 6, 63]$ codes,” *Journal of Statistical Planning and Inference*, vol. 106, no. 1-2, pp. 485–507, Aug. 2002, [pdf](#).

Discrete Applied Mathematics

- [252] T. Helleseht, “On the covering radius of cyclic linear codes and arithmetic codes,” *Discrete Appl. Math.*, vol. 11, no. 2, pp. 157–173, Jun. 1985, Russian translation in [303], [pdf](#).
- [253] —, “Legendre sums and codes related to QR codes,” *Discrete Appl. Math.*, vol. 35, no. 2, pp. 107–113, Jan. 1992, [pdf](#).
- [254] N. Hamada, T. Helleseht, and Ø. Ytrehus, “A new class of nonbinary codes meeting the Griesmer bound,” *Discrete Appl. Math.*, vol. 47, no. 3, pp. 219–226, Dec. 1993, [pdf](#).

Problems of Information Transmission

- [255] V. A. Zinoviev and T. Helleseth, “On weight distributions of shifts of Goethals-like codes,” *Probl. Inf. Transm.*, vol. 40, no. 2, pp. 118–134, Apr. 2004, [pdf](#).
- [256] V. A. Zinoviev, T. Helleseth, and P. Charpin, “On cosets of weight 4 of binary BCH codes with minimum distance 8 and exponential sums,” *Probl. Inf. Transm.*, vol. 41, no. 4, pp. 331–348, Oct. 2005, [pdf](#).
- [257] L. A. Bassalygo, S. M. Dodunekov, V. A. Zinoviev, and T. Helleseth, “The Grey-Rankin bound for nonbinary codes,” *Probl. Inf. Transm.*, vol. 42, no. 3, pp. 197–203, Sep. 2006, [pdf](#).

Cryptography and Communications

- [258] T. Helleseth and A. Kholosha, “ $x^{2^l+1} + x + a$ and related affine polynomials over $\text{GF}(2^k)$,” *Cryptography and Communications*, vol. 2, no. 1, pp. 85–109, Apr. 2010, [pdf](#).
- [259] L. Budaghyan and T. Helleseth, “New commutative semifields defined by new PN multinomials,” *Cryptography and Communications*, vol. 3, no. 1, pp. 1–16, Mar. 2011, [pdf](#).
- [260] T. Helleseth and A. Kholosha, “Crosscorrelation of m -sequences, exponential sums, bent functions and Jacobsthal sums,” *Cryptography and Communications*, vol. 3, no. 4, pp. 281–291, Dec. 2011, [pdf](#).

Information and Computation

- [261] T. Helleseth and H. M. Martinsen, “Binary sequences of period $2^m - 1$ with large linear complexity,” *Inform. and Comput.*, vol. 151, no. 1-2, pp. 73–91, May 1999, [pdf](#).
- [262] T. W. Sze, S. T. Chanson, C. Ding, T. Helleseth, and M. G. Parker, “Logarithm Cartesian authentication codes,” *Inform. and Comput.*, vol. 184, no. 1, pp. 93–108, Jul. 2003, [pdf](#).

Information and Control

- [263] T. Helleseeth and T. Kløve, “On group-theoretic codes for asymmetric channels,” *Inform. and Control*, vol. 49, no. 1, pp. 1–9, Apr. 1981, [pdf](#).
- [264] T. Helleseeth, “A characterization of codes meeting the Griesmer bound,” *Inform. and Control*, vol. 50, no. 2, pp. 128–159, Aug. 1981, [pdf](#).

Applicable Algebra in Engineering, Communication and Computing

- [265] P. V. Kumar and T. Helleseeth, “An expansion for the coordinates of the trace function over Galois rings,” *Appl. Algebra Engrg. Comm. Comput.*, vol. 8, no. 5, pp. 353–361, Jul. 1997, [pdf](#).
- [266] T. Helleseeth and D. Sandberg, “Some power mappings with low differential uniformity,” *Appl. Algebra Engrg. Comm. Comput.*, vol. 8, no. 5, pp. 363–370, Jul. 1997, [pdf](#).

Ars Combinatoria

- [267] N. Hamada, T. Helleseeth, and Ø. Ytrehus, “There are exactly two nonequivalent $[20, 5, 12; 3]$ -codes,” *Ars Combinatoria*, vol. 35, pp. 3–14, Jun. 1993, [pdf](#).
- [268] —, “The nonexistence of $[51, 5, 33; 3]$ -codes,” *Ars Combinatoria*, vol. 35, pp. 25–32, Jun. 1993, [pdf](#).

IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences

- [269] Y.-S. Kim, J.-W. Jang, J.-S. No, and T. Helleseeth, “New constructions of p -ary bent sequences,” *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences*, vol. E87-A, no. 2, pp. 489–494, Feb. 2004, [pdf](#).

- [270] T. Helleseth, “Crosscorrelation of m -sequences, exponential sums and Dickson polynomials,” *IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences*, vol. E93-A, no. 11, pp. 2212–2219, Nov. 2010, [pdf](#).

Other Journals

- [271] N. Hamada and T. Helleseth, “A characterization of some $\{3v_2, 3v_1; t, q\}$ -minihypers and some $\{2v_2 + v_{\gamma+1}, 2v_1 + v_\gamma; t, q\}$ -minihypers ($q = 3$ or 4 , $2 \leq \gamma < t$) and its applications to error-correcting codes,” *Bulletin of Osaka Women’s University*, vol. 27, pp. 49–107, 1990.
- [272] —, “A characterization of some minihypers in a finite projective geometry $\text{PG}(t, 4)$,” *European Journal of Combinatorics*, vol. 11, no. 6, pp. 541–548, Nov. 1990.
- [273] N. Hamada, T. Helleseth, and Ø. Ytrehus, “On the construction of $[q^4 + q^2 - q, 5, q^4 - q^3 + q^2 - 2q; q]$ -codes meeting the Griesmer bound,” *RIMS Proceedings*, vol. 853, pp. 187–195, Nov. 1993, (In Japanese) [pdf](#).
- [274] C. Ding and T. Helleseth, “On cyclotomic generator of order r ,” *Information Processing Letters*, vol. 66, no. 1, pp. 21–25, Apr. 1998, [pdf](#).
- [275] N. Hamada and T. Helleseth, “Arcs, blocking sets, and minihypers,” *Computers and Mathematics with Applications*, vol. 39, no. 11, pp. 159–168, Jun. 2000, [pdf](#).
- [276] T. Helleseth, “Sequences with good correlations and some open problems,” *Electronic Notes in Discrete Mathematics*, vol. 6, pp. 507–517, Apr. 2001, [pdf](#).
- [277] —, “Sekvenser og anvendelser i mobilkommunikasjon,” *Nordisk Matematisk Tidsskrift*, vol. 50, no. 3-4, pp. 155–169, 2002, [pdf](#).
- [278] T. Helleseth, J. Lahtonen, and K. Ranto, “A simple proof to the minimum distance of \mathbf{Z}_4 -linear Goethals-like codes,” *Journal of Complexity*, vol. 20, no. 2-3, pp. 297–304, Apr./Jun. 2004, [pdf](#).

- [279] P. Charpin, T. Helleseht, and V. A. Zinoviev, “The divisibility modulo 24 of Kloosterman sums on $\text{GF}(2^m)$, m odd,” *J. Combin. Theory Ser. A*, vol. 114, no. 2, pp. 322–338, Feb. 2007, [pdf](#).
- [280] —, “On cosets of weight 4 of $\text{BCH}(2^m, 8)$, m even, and exponential sums,” *SIAM Journal on Discrete Mathematics*, vol. 23, no. 1, pp. 59–78, 2008, [pdf](#).
- [281] L. Budaghyan, , and T. Helleseht, “On isotopisms of commutative presemifields and CCZ-equivalence of functions,” *Internat. J. Found. Comput. Sci.*, vol. 22, no. 6, pp. 1243–1258, Sep. 2011, [pdf](#).

International Workshop on Algebraic and Combinatorial Coding Theory

- [282] N. Hamada and T. Helleseht, “On the construction of $[q^3 - q^2 + 1, 4, q^3 - 2q^2 + q; q]$ -codes meeting the Griesmer bound,” in *International Workshop on Algebraic and Combinatorial Coding Theory*. Shumen: Hermes & Hermes, 1992, pp. 80–83.
- [283] T. Helleseht, T. Kløve, and Ø. Ytrehus, “Codes and the chain condition,” in *International Workshop on Algebraic and Combinatorial Coding Theory*. Shumen: Hermes & Hermes, 1992, pp. 88–91.
- [284] T. Helleseht and P. V. Kumar, “The weight hierarchy of semiprimitive codes,” in *Fourth International Workshop on Algebraic and Combinatorial Coding Theory*, 1994, pp. 94–97.
- [285] I. Boukliev, S. M. Dodunekov, T. Helleseht, and Ø. Ytrehus, “Two new binary optimal 8-dimensional codes,” in *Fifth International Workshop on Algebraic and Combinatorial Coding Theory*. Shumen: Unicorn, 1996, pp. 66–67.
- [286] T. Helleseht and V. A. Zinoviev, “On coset weight distribution of the \mathbf{Z}_4 -linear Goethals codes,” in *Sixth International Workshop on Algebraic and Combinatorial Coding Theory*. Moskva: Mezhdunarodnyj Tsentr Nauchnoj i Tekhnicheskoy Informatsii, 1998, pp. 130–134, [pdf](#).

- [287] T. Helleseth, “On some ternary m -sequences with good autocorrelation and crosscorrelation,” in *Seventh International Workshop on Algebraic and Combinatorial Coding Theory*. Sofia: Institute of Mathematics and Informatics, Bulgarian Academy of Sciences, 2000, pp. 168–171.
- [288] T. Helleseth and V. A. Zinoviev, “On \mathbf{Z}_4 -linear Goethals codes, Kloosterman sums and Dickson polynomials,” in *Seventh International Workshop on Algebraic and Combinatorial Coding Theory*. Sofia: Institute of Mathematics and Informatics, Bulgarian Academy of Sciences, 2000, pp. 172–176, [pdf](#).
- [289] P. Charpin, T. Helleseth, and V. A. Zinoviev, “On binary BCH codes with minimal distance 8 and Kloosterman sums,” in *Ninth International Workshop on Algebraic and Combinatorial Coding Theory*. Sofia: Institute of Mathematics and Informatics, Bulgarian Academy of Sciences, 2004, pp. 90–94, [pdf](#).

Optimal Codes and Related Topics

- [290] N. Hamada and T. Helleseth, “A characterization of $\{3v_1 + v_4, 3v_0 + v_3; 4, 3\}$ -minihypers and projective ternary $[78, 5, 51]$ codes,” in *International Workshop on Optimal Codes and Related Topics*. Shumen: Panorama, 1995, pp. 61–64, [pdf](#).
- [291] ———, “The nonexistence of ternary $[270, 6, 179]$ codes and $[309, 6, 205]$ codes,” in *International Workshop on Optimal Codes and Related Topics*. Shumen: Panorama, 1995, pp. 65–68, [pdf](#).
- [292] T. Helleseth and P. V. Kumar, “A new proof of the minimum distance of the quaternary Preparata code and Goethals code,” in *International Workshop on Optimal Codes and Related Topics*. Shumen: Panorama, 1995, pp. 69–73, [pdf](#).
- [293] T. Helleseth, C. Rong, and K. Yang, “Some 3-designs from Goethals codes over \mathbf{Z}_4 ,” in *Optimal Codes and Related Topics, Second International Workshop*. Sofia: Institute of Mathematics and Informatics, 1998, pp. 84–89, [pdf](#).

- [294] N. Hamada and T. Helleseeth, “Codes and minihypers,” in *Third EuroWorkshop on Optimal Codes and Related Topics*. Sofia: Institute of Mathematics and Informatics, 2001, pp. 79–84, [pdf](#).
- [295] T. Helleseeth, “Sequences with ideal autocorrelation,” in *Third EuroWorkshop on Optimal Codes and Related Topics*. Sofia: Institute of Mathematics and Informatics, 2001, pp. 91–95, [pdf](#).
- [296] T. Helleseeth, A. Kholosha, and G. J. Ness, “On the correlation distribution of the Coulter-Matthews decimation,” in *Optimal Codes and Related Topics, Fourth International Workshop*. Sofia: Institute of Mathematics and Informatics, Bulgarian Academy of Sciences, 2005, pp. 190–195, [pdf](#).
- [297] A. Johansen, T. Helleseeth, and X. Tang, “The correlation distribution of sequences of period $2(2^n - 1)$,” in *Optimal Codes and Related Topics, Fifth International Workshop*. Sofia: Institute of Mathematics and Informatics, Bulgarian Academy of Sciences, 2007, pp. 93–99, [pdf](#).

Annual Allerton Conference on Communication, Control, and Computing

- [298] A. G. Shanbhag, P. V. Kumar, and T. Helleseeth, “Improved binary codes and sequence families from \mathbf{Z}_4 -linear codes,” in *Proceedings of the Thirty-Second Annual Allerton Conference on Communication, Control, and Computing*, Monticello, Illinois, Sep. 1994.
- [299] T. Helleseeth, P. V. Kumar, A. G. Shanbhag, and K. Yang, “On Galois rings: a Hasse-Davenport-type relation for \mathbf{Z}_4 Kerdock code and applications,” in *Proceedings of the Thirty-Third Annual Allerton Conference on Communication, Control, and Computing*, Monticello, Illinois, Oct. 1995, pp. 480–482.
- [300] T. Helleseeth, P. V. Kumar, C. Rong, and K. Yang, “On infinite families of 3-designs from Preparata codes and related codes over \mathbf{Z}_4 ,” in *Proceedings of the Thirty-Fifth Annual Allerton Conference on Communication, Control, and Computing*, Monticello, Illinois, Sep./Oct. 1997, pp. 395–403.

- [301] T. Helleseth and V. A. Zinoviev, “On the coset weight distributions of \mathbf{Z}_4 -linear Goethals codes and some relations to Kloosterman sums,” in *Proceedings of the Thirty-Sixth Annual Allerton Conference on Communication, Control, and Computing*, Monticello, Illinois, Sep. 1998, pp. 593–597.
- [302] A. Chang, T. Helleseth, and P. V. Kumar, “Further results on a conjectured 2-level autocorrelation sequence,” in *Proceedings of the Thirty-Sixth Annual Allerton Conference on Communication, Control, and Computing*, Monticello, Illinois, Sep. 1998, pp. 598–599.

Other Collections and Proceedings

- [303] T. Helleseth, “On the covering radius of cyclic linear codes and arithmetic codes,” in *Kiberneticheskiy sbornik, novaya seriya*, O. Lupanov and O. Kasim-Zade, Eds. Moscow: Mir, 1988, vol. 25, pp. 64–84, Russian translation of [252], [pdf](#).
- [304] ———, “Legendre sums and codes related to QR codes,” in *Fourth Joint Swedish-Soviet International Workshop on Information Theory*. Lund: Studentlitteratur, 1989, pp. 218–222.
- [305] ———, “Projective codes meeting the Griesmer bound,” in *A Collection of Contributions in Honour of Jack van Lint*, ser. Topics in Discrete Mathematics, P. J. Cameron and H. C. van Tilborg, Eds. Amsterdam: North-Holland, 1992, vol. 7, pp. 265–271, Reprint of [200].
- [306] T. Helleseth and T. Kløve, “The weight hierarchies of some product codes,” in *Arithmétique, Géométrie, et Algorithmique dans la Théorie des Codes correcteurs d’erreurs*, Pointe-à-Pitre, Guadeloupe, Apr. 1996.
- [307] T. Helleseth and P. V. Kumar, “Codes and sequences over \mathbf{Z}_4 - a tutorial overview,” in *Difference Sets, Sequences and their Correlation Properties*, ser. NATO Science Series, Series C: Mathematical and Physical Sciences, A. Pott, P. V. Kumar, T. Helleseth, and D. Jungnickel, Eds. Dordrecht: Kluwer Academic Publishers, 1999, vol. 542, pp. 195–225.

- [308] T. Helleseeth, “Pairs of m -sequences with a six-valued crosscorrelation,” in *Mathematical Properties of Sequences and other Combinatorial Structures*, ser. The Kluwer International Series in Engineering and Computer Science, J.-S. No, H.-Y. Song, T. Helleseeth, and P. V. Kumar, Eds. Dordrecht: Kluwer Academic Publishers, 2003, pp. 1–6, [pdf](#).
- [309] Y.-S. Kim, J.-W. Jang, J.-S. No, and T. Helleseeth, “On p -ary bent functions defined on finite fields,” in *Mathematical Properties of Sequences and other Combinatorial Structures*, ser. The Kluwer International Series in Engineering and Computer Science, J.-S. No, H.-Y. Song, T. Helleseeth, and P. V. Kumar, Eds. Dordrecht: Kluwer Academic Publishers, 2003, pp. 65–76.
- [310] T. Helleseeth, T. Kløve, and V. I. Levenshtein, “Binary even-weight codes for error correction,” in *International Conference on Software, Telecommunications and Computer Networks - SoftCom 2003*. University of Split, Croatia, Oct. 2003, pp. 822–826, [pdf](#).
- [311] T. Helleseeth and A. Kholosha, “Monomial bent functions over the finite fields of odd characteristic,” in *Coding Theory and Cryptography*, S. Nikova, B. Preneel, L. Storme, and J. A. Thas, Eds. Brussels: Koninklijke Vlaamse Academie van Belgie voor Wetenschappen en Kunsten, 2006, pp. 43–48, [pdf](#).
- [312] T. Helleseeth, G. Kyureghyan, G. J. Ness, and A. Pott, “On a family of perfect nonlinear binomials,” in *Boolean Functions in Cryptology and Information Security*, ser. NATO Science for Peace and Security Series, Sub-Series D: Information and Communication Security, B. Preneel and O. A. Logachev, Eds. Amsterdam: IOS Press, 2008, vol. 18, pp. 126–138, [pdf](#).
- [313] T. Helleseeth, M. Hojsík, and S. Rønjom, “Algebraic attacks on filter and combiner generators,” in *Enhancing Cryptographic Primitives with Techniques from Error Correcting Codes*, ser. NATO Science for Peace and Security Series, Sub-Series D: Information and Communication Security, B. Preneel, S. Dodunekov, V. Rijmen, and S. Nikova, Eds. Amsterdam: IOS Press, 2009, vol. 23, pp. 39–48, [pdf](#).

- [314] T. Helleseeth, “Linear and nonlinear sequences and applications to stream ciphers,” in *Recent Trends in Cryptography*, ser. Contemporary Mathematics, I. Luengo, Ed. Providence, Rhode Island: American Mathematical Society, 2009, vol. 477, pp. 21–46, [pdf](#).
- [315] L. Budaghyan and T. Helleseeth, “Planar functions and commutative semifields,” in *NILCRYPT ’10*, ser. Tatra Mountains Mathematical Publications, O. Grošek, T. Helleseeth, A. Kholosha, and K. Nemoga, Eds., vol. 45. Bratislava: Mathematical Institute, Slovak Academy of Sciences, 2010, pp. 15–25, [pdf](#).
- [316] M. M. Hassanzadeh and T. Helleseeth, “Algebraic attack on the second class of modified alternating \vec{k} -generators,” in *Norwegian Information Security Conference NISK 2010*, P. Bours, Ed. Trondheim: Tapir Akademisk Forlag, 2010, pp. 12–20, [pdf](#).

Encyclopedia of Cryptography and Security

- [317] T. Helleseeth, “Autocorrelation,” in *Encyclopedia of Cryptography and Security*, 2nd ed., H. C. van Tilborg and S. Jajodia, Eds. Berlin: Springer-Verlag, 2011, pp. 68–68.
- [318] —, “Cross correlation,” in *Encyclopedia of Cryptography and Security*, H. C. van Tilborg, Ed. Berlin: Springer-Verlag, 2005, pp. 113–113.
- [319] —, “De Bruijn sequence,” in *Encyclopedia of Cryptography and Security*, H. C. van Tilborg, Ed. Berlin: Springer-Verlag, 2005, pp. 138–140.
- [320] —, “Gap,” in *Encyclopedia of Cryptography and Security*, H. C. van Tilborg, Ed. Berlin: Springer-Verlag, 2005, pp. 239–239.
- [321] —, “Golomb’s randomness postulates,” in *Encyclopedia of Cryptography and Security*, H. C. van Tilborg, Ed. Berlin: Springer-Verlag, 2005, pp. 242–242.
- [322] —, “Maximal-length linear sequence,” in *Encyclopedia of Cryptography and Security*, H. C. van Tilborg, Ed. Berlin: Springer-Verlag, 2005, pp. 372–375.

- [323] —, “Pseudo-noise sequence (PN-sequence),” in *Encyclopedia of Cryptography and Security*, H. C. van Tilborg, Ed. Berlin: Springer-Verlag, 2005, pp. 483–483.
- [324] —, “Run,” in *Encyclopedia of Cryptography and Security*, H. C. van Tilborg, Ed. Berlin: Springer-Verlag, 2005, pp. 539–539.
- [325] —, “Sequences,” in *Encyclopedia of Cryptography and Security*, H. C. van Tilborg, Ed. Berlin: Springer-Verlag, 2005, pp. 560–563.

MSc and PhD Theses

- [326] —, “Krysskorrelasjonsfunksjonen mellom maksimale sekvenser over $GF(q)$. Hovedoppgave i ren matematikk,” Universitetet i Bergen, Matematisk Institutt, Våren 1971.
- [327] —, “Weight distribution problems in codes,” Ph.D. dissertation, Department of Pure Mathematics, University of Bergen, Bergen, Norway, 1979, consists of [Introduction](#) and [\[193\]](#), [\[196\]](#), [\[21\]](#), [\[194\]](#), [\[195\]](#), [\[197\]](#), [\[22\]](#), [\[24\]](#), [\[23\]](#).

List of Coauthors

Abyaneh, Mohammad R. Sohizadeh [163]
Anderson, Ross [215]
Arasu, Krishnasamy Thiru [62]
Bassalygo, Leonid A. [159, 257]
Boukliev, Iliya [285, 47]
Bracken, Carl [147]
Budaghyan, Lilya [190, 315, 259, 281, 160, 101, 152]
Calderbank, A. Robert [108, 109, 35, 37, 39]
Carlet, Claude [150, 160, 101, 152]
Chang, Anchung [302, 55]
Chanson, Samuel T. [262]
Charpin, Pascale [289, 140, 256, 77, 143, 233, 279, 145, 280, 212]
Chen, Xuemin [32, 33, 236, 113]
Chung, Habong [126, 60, 72]
Ding, Cunsheng [49, 215, 274, 228, 50, 54, 207, 57, 62, 63, 262, 83]
Dobbertin, Hans [128, 58, 75]
Dodunekov, Stefan M. [28, 285, 47, 138, 159, 257]
Duursma, Iwan [219]
Fan, Pingzhi [226]
Felke, Patrick [75]
Gaal, Peter [55]
Garg, Gagan [19]
Golomb, Solomon W. [55]
Gong, Guang [55, 64, 132, 185, 186, 95, 98, 99, 192]
Hamada, Noboru
[271, 272, 106, 169, 199, 243, 282, 213, 235, 244, 248, 201, 254, 267, 268,
273, 237, 203, 227, 245, 290, 291, 246, 249, 250, 247, 275, 56, 294, 251]
Hammons Jr., A. Roger [109, 39]
Hassanzadeh, Mehdi M. [163, 149, 165, 316]
Hauge, Erik R. [107, 205]
Hojsík, Michal [313]
Hollmann, Henk D. L. [91]
Hove, Bo [52]
Hu, Honggang [95, 98, 99, 192]
Hu, Lei [183, 89, 90]
Jang, Ji-Woong [309, 134, 67, 137, 269]

Jansen, Cees J. A. [180, 187]
 Jia, Wenjie [100]
 Jiang, Wenfeng [183, 89, 90]
 Johansen, Aina [297, 87, 144, 189, 146, 88, 92]
 Johansson, Thomas [171]
 Khazaei, Shahram [180]
 Kholosha, Alexander [158, 296, 180, 78, 311, 79, 84, 182, 144, 187, 188, 234, 90, 91, 92, 258, 166, 148, 93, 191, 150, 168, 260, 99, 101, 152, 241]
 Kim, Sang-Hyo [131, 65, 72]
 Kim, Young-Sik [134, 309, 67, 137, 269]
 Kløve, Torleiv [194, 23, 263, 30, 31, 161, 283, 170, 34, 40, 306, 119, 45, 44, 123, 215, 14, 129, 133, 135, 157, 222, 310, 70, 73, 141, 83, 20]
 Kumar, P. Vijay
 [110, 284, 108, 109, 298, 111, 112, 114, 116, 36, 117, 202, 292, 35, 299, 37, 38, 42, 39, 41, 43, 118, 204, 214, 238, 156, 155, 265, 300, 13, 216, 229, 302, 15, 307, 173, 55, 127, 128, 162, 58, 62, 210, 240, 220, 16, 221, 223, 19]
 Kyureghyan, Gohar [312]
 Lahtonen, Jyrki [53, 242, 278, 232]
 Lam, Kwok Yan [54, 207]
 Lee, Jung-Do [126, 60]
 Levenshtein, Vladimir I.
 [34, 119, 44, 123, 129, 133, 135, 157, 222, 310, 70, 73, 141]
 Li, Chunlei [100, 192, 154]
 Li, Nian [90, 97, 151]
 Lu, H. F. Francis [162]
 Luo, Jinquan [168, 96, 153]
 Maas, Martijn [69, 136]
 Manev, Nickolai [28]
 Martinsen, Halvard M. [261, 173, 127, 128, 56, 57, 58, 62, 220]
 Mathiassen, John Erik [178, 69, 136]
 Mattson Jr., Harold F. [198]
 McGuire, Gary [37]
 Mesnager, Sihem [150, 101, 241]
 Molland, Håvard [178, 179, 139, 81]
 Moreno, Oscar [116, 41]
 Mykkeltveit, Johannes J. [194, 23, 225]
 Ness, Geir Jarle [296, 79, 76, 80, 142, 85, 86, 84, 312]
 Niederreiter, Harald [63]

No, Jong-Seon [126, 60, 130, 131, 134, 65, 309, 67, 224, 137, 269, 72]
 Parker, Matthew G. [262, 163]
 Pott, Alexander [312]
 Ranto, Kalle [278]
 Reed, Irving S. [32, 33, 236, 113]
 Rong, Chunming [239, 122, 300, 293, 51, 53, 206, 219, 60, 208, 209]
 Rosendahl, Petri [242, 231, 75, 232]
 Rønjom, Sondre [82, 181, 184, 185, 186, 313, 167, 95]
 Salehani, Yaser Esmaeili [163]
 Sandberg, Daniel [266, 51]
 Schaathun, Hans Georg [177, 71, 74]
 Segers, Toon [69, 136]
 Shan, Weijuan [49]
 Shanbhag, Abhijit G.
 [298, 111, 112, 114, 116, 299, 214, 238, 38, 42, 41, 43, 118, 156, 229]
 Shin, Dong-Joon [162, 210, 130, 221, 223, 224]
 Shum, Kenneth W. [240]
 Song, Hong-Yeop [126, 60]
 Sze, T. W. [262]
 Tang, Xiaohu [297, 183, 87, 189, 89, 226, 94, 97, 151]
 Tilborg, Henk van [25]
 Truong, Trieu-Kien [32, 33, 236]
 Vassbakk, Odd Narve [173]
 Voloch, José Felipe [68]
 Wang, Xuesong [83]
 Wang, Zeying [91]
 Winjum, Eli [115]
 Xiang, Qing [91]
 Xing, Chaoping [63]
 Yang, Kyeongcheol [299, 43, 118, 46, 120, 121, 156, 300, 48, 124, 217, 216,
 293, 52, 206, 219, 126, 208, 209, 176, 66]
 Ytrehus, Øyvind
 [28, 29, 105, 106, 213, 31, 161, 283, 201, 254, 267, 268, 273, 170, 34, 285, 47, 56]
 Zeng, Xiangyong [90, 100]
 Zinoviev, Victor A. [125, 286, 301, 218, 288, 59, 61, 230, 138, 211, 255, 289,
 256, 140, 77, 159, 257, 143, 233, 279, 145, 280, 212]